2279001 DATE APPROVAL DESCRIPTION REPLACES REV & WITH CHANGES 9/2/60 4. SPECIAL CONDITIONING BY SUPPLIER: (100%) A. ALL UNITS SHALL BE X-RAYED PER MIL-STD-202, METHOD 209, PERPENDICULAR TO THE MAJOR AXIS OF THE CAPACITOR. REQUIREMENTS: ALL X-RAYS SHALL BE INSPECTED FOR LOOSE SOLDER GENERAL: ALIGNMENT. INTERPRET DRAWING IN ACCORDANCE WITH STANDARDS PRESCRIBED BY MIL-D-70327. BURN-IN: EACH UNIT SHALL, BE CONNECTED IN SERIES THESE CAPACITORS SHALL CONFORM TO THE REQUIREMENTS OF MIL-C-26655 /28 FOR STYLE CS-13, WITH THE EXCEPTIONS AND ADDITIONS SPECIFIED IN THIS DRAWING. SUPPLIER SHALL CONFORM TO THE QUALITY ASSURANCE PROVISIONS IN ND 1015404, CLASS 2. PERIODIC INSPECTIONS MAY BE SATISFIED BY THE SUBMISSION AND ACCEPTANCE OF CERTIFIED TEST DATA FOR PURCHASED PRODUCTION LOTS. BLOWN FUSE OR WHICH ARE OUTSIDE OF ALLOWABLE CAPACITORS SHALL BE PACKAGED IN ACCORDANCE WITH SUPPLIERS NORMAL COMMERCIAL PRACTICE PER LEVEL C AS DEFINED IN MIL-C-26655. INSPECTION AND ACCEPTANCE: A. MECHANICAL DIMENSIONS AND TOLERANCES PER DRAWING. LEAD MATERIAL SHALL BE NICKEL IN ACCORDANCE WITH ND PS 1015400. EQUIVALENT SERIES RESISTANCE AT 25°C: UNITS SPECIFIED IN TABLE III SHALL BE SCREENED C. EACH CAPACITOR SHALL BE PERMANENTLY AND LEGIBLY MARKED WITH THE MANUFACTURERS FOR MAXIMUM ESR BY PLACING UNITS IN TEST CIRCUIT NAME AND/OR SYMBOL, TYPE NUMBER, CAPACITANCE VALUE AND TOLERANCE, VOLTAGE AND CALCULATING ESR BY THE FORMULA: RATING AND POLARITY. EACH UNIT PACKAGE AND SHIPPING CONTAINER SHALL ALSO INCLUDE THE NASA DRAWING NUMBER, DASH NUMBER AND REVISION LETTER. PER MIL-STD-129. | EC1R1 | ER12 + EC12 - EΔ2 ALL PARTS SHALL BE SERIALIZED. ESR = PARTS WHICH HAVE FAILED NEED NOT BE FORWARDED. ELECTRICAL REQUIREMENTS: @ 25°C $E_{C1} = AC COMPONENT ACROSS C1 (RMS)$ (1) CAPACITANCE VALUE PER TABLE II AND IV (2) DISSIPATION FACTOR 6% MAXIMUM FOR VOLTAGE OF 15 VDC OR LESS. 4% MAX. FOR ALL $E_{RR} = AC COMPONENT ACROSS R_1 (RMS)$ OTHER VOLTAGE RATINGS. EA - AC VOLTAGE APPLIED (RMS) (3) LEAKAGE CURRENT: PER TABLE II AND IV UNITS SHALL BE SUPPLIED FROM A PRODUCT LINE WHICH IS CONTINUOUSLY MONITORED R1 = VALUE : ROM TABLE I FOR AND EXHIBITS A FAILURE RATE OF LESS THAN 0.15% PER THOUSAND HOURS AT A 60% CONFIDENCE LEVEL WHEN PLACED ON LIFE TEST UNDER THE FOLLOWING CONDITIONS: VENDOR SUPPLIED DOCUMENTATION: A. CERTIFICATE OF COMPLIANCE WITH PS1015400. INSULATION-(1) TEMPERATURE: 85°C B MAX-B. BEFORE-AND-AFTER BURN-IN READINGS FOR (2) VOLTAGE: FULL RATED VOLTAGE (1) CAPACITANCE (3) SERIES RESISTANCE (EXTERNAL): 10 OHMS, 1/10 WATT, FUSIBLE (2) DISSIPATION FACTOR (4) POWER SUPPLY: 25 AMPERES FOR 1 MINUTE CAPABILITY. TEST DATA TO SUBSTANTIATE REQUIRED FAILURE RATE. FAILURE RATE DATA FROM A PRODUCT LINE WHOSE ONLY DIFFERENCES ARE: (a) THE TYPE OF INSULATION SLEEVING OR (b) LEAD MATERIAL WILL BE ACCEPTABLE FOR THIS REQUIREMENT. QUANTITY AND DATE OF SHIPMENT ANY REFERENCED SPECIFICATION REQUIRED TO BE CERTIFIED BY THIS DRAWING OR PURCHASE ORDER DESIGN REQUIREMENTS: A. UNITS SHALL BE CAPABLE OF MEETING THE REQUIREMENTS OF MIL-C-26655. FOR CONSTRUCTION AND ENVIRONMENT. (H) REPLACES REV G WITH CHANGES B. OPERATING TEMPERATURE RANGE: -55°C TO +85°C AT FULL RATED VOLTAGE; DERATED TO 2/3 RATED VOLTAGE AT +125°C. C. SURGE VOLTAGE: 130% OF RATED VOLTAGE. NOMENCLATURE OR PART OR D. STABILITY AT HIGH AND LOW TEMPERATURE: CAPACITANCE SHALL CHANGE FROM DESCRIPTION IDENTIFYING NO. 25°C VALUE BY NO MORE THAN -15% AT -55°C AND BY NO MORE THAN +15% AT +85°C. LIST OF MATERIALS LEAD BEND AND PULL TEST (DESTRUCTIVE): UNLESS OTHERWISE SPECIFIED MANNED SPACECRAFT CENTER INSTRUMENTATION LAS (1) LEADS SHALL WITHSTAND A 4 POUND AXIAL PULL MINIMUM DIMENSIONS ARE IN INCHES HOUSTON, TEXAS WITHOUT IMPAIRMENT OF PERFORMANCE. TOLERANCES ON ANGLES DRAWN R. Kong. DATE/L. SOTTE LE CAPACITOR FIXED, ELECTROLYTIC, CHECKED RESERVED 168-163 CAPACITOR FIXED, ELECTROLYTIC, (2) LEADS SHALL WITHSTAND THE BEND TEST AS SPECIFIED IN FRACTIONS DECIMALS MIL-C-26655 EXCEPT THE WEIGHT SHALL BE 2 POUNDS. DO NOT SCALE THIS DRAWING SOLID TANTALUM APPROVAL. APPROVAL ELLAN C Hell 17 Sept 63 MATERIAL SPECIFICATION CONTROL DRAWING SEE NOTES PROCURE ONLY FROM APPROVED SOURCES LISTED IN NASA DRAWING NO. CODE IDENT NO. SIZE NASA APPROVAL ASE BARRAN HEAT TREATMENT ND 1002034 FOR THIS DRAWING. 1006755 **NEXT ASSY** USED ON FINAL FINISH MIT APPROVAL & NONE WT SHEET | OF 2 **APPLICATION**