

TABLE 2.—ORGANIC PEROXIDE IBC CODE (IB52)—Continued

UN No.	Organic peroxide	Type of IBC	Maximum quantity (liters)	Control temperature	Emergency temperature
*	*	*	*	*	*

TABLE 3.—IP CODES

IP8 Ammonia solutions may be transported in rigid or composite plastic IBCs (31H1, 31H2 and 31HZ1) that have successfully passed, without leakage or permanent deformation, the hydrostatic test specified in § 178.814 of this subchapter at a test pressure that is not less than 1.5 times the vapor pressure of the contents at 55 °C (131 °F).

(5) * * *	N83 This material may not be transported in quantities of more than 11.5 kg (25.4 lbs) per package.	N85 Packagings certified at the Packing Group I performance level may not be used.
Code/Special Provisions	N84 The maximum quantity per package is 500 g (1.1 lbs.).	(7) * * *
* * * * *		(iii) * * *

## PORTABLE TANK CODE T23

[Portable tank code T23 applies to self-reactive substances of Division 4.1 and organic peroxides of Division 5.2.]

UN No.	Hazardous material	Minimum test pressure (bar)	Minimum shell thickness (mm-reference steel) See . . .	Bottom opening requirements See . . .	Pressure-relief requirements See . . .	Filling limits	Control temperature	Emergency temperature
		*	*	*	*	*		*
3119	REMOVE: tert-Butyl peroxyacetate, not more than 32% in diluent Type B.	4	§ 178.274(d)(2) ..	§ 178.275(d)(3) ..	§ 178.275(g)(1) ..	Not more than 90% at 59 °F (15 °C).	+30 °C .....	+35 °C
3120	Organic peroxide Type F, solid, temperature controlled.	4	§ 178.274(d)(2) ..	§ 178.275(d)(3) ..	§ 178.275(g)(1) ..	Not more than 90% at 59 °F (15 °C).	As approved by Assoc. Admin.	As approved by Assoc. Admin
	ADD:	*	*	*	*	*		*
3109	Dicumyl peroxide, less than or equal to 100% in diluent Type B.	4	§ 178.274(d)(2) ..	§ 178.275(d)(3) ..	§ 178.275(g)(1) ..	Not more than 90% at 59 °F (15 °C).		*
3119	tert-Butyl peroxyacetate, not more than 32% in diluent Type B.	4	§ 178.274(d)(2) ..	§ 178.275(d)(3) ..	§ 178.275(g)(1) ..	Not more than 90% at 59 °F (15 °C).	+30 °C .....	+35 °C
	Peroxyacetic acid, distilled, stabilized, not more than 41%.	4	§ 178.274(d)(2) ..	§ 178.275(d)(3) ..	§ 178.275(g)(1) ..	Not more than 90% at 59 °F (15 °C).	+30 °C .....	+35 °C
3120	Organic peroxide Type F, solid, temperature controlled.	4	§ 178.274(d)(2) ..	§ 178.275(d)(3) ..	§ 178.275(g)(1) ..	Not more than 90% at 59 °F (15 °C).	As approved by Assoc. Admin.	As approved by Assoc. Admin
	REVISE:	*	*	*	*	*		*