

Inert ingredients	Limits	Uses
α -[p-(1,1,3,3-Tetramethylbutyl)phenyl] poly(oxypropylene) block polymer with poly(oxyethylene); the poly(oxypropylene) content averages 25 moles, the poly(oxyethylene) content averages 40 moles, the molecular weight (in amu) averages 3,400.	Do.
Vinyl acetate--allyl acetate--monomethyl maleate copolymer (minimum average molecular weight (in amu) 20,000).	Component on water-soluble film
Vinyl acetate--ethylene copolymer (CAS Reg. No. 24937-78-8); minimum number average molecular weight (in amu) 69,000.	Component of water-soluble film
Vinyl acetate--vinyl alcohol--alkyl lactone copolymer.	Minimum estimated number average molecular weight (in amu) 40,000; minimum viscosity of 18 centipoise..	Component of water-soluble film
Vinyl alcohol--disodium itaconate copolymer (minimum average molecular weight (in amu) 50,290).	Component of water-soluble film
Vinyl alcohol--vinyl acetate--monomethyl maleate, sodium salt--maleic acid, disodium salt-- γ -butyrolactone acetic acid, sodium salt copolymer, minimum number average molecular weight (in amu) 20,000.	Carrier
Oleic acid diester of α -hydro- ω -hydroxypoly(oxyethylene); the poly(oxyethylene) molecular weight (in amu) averages 2,300.	Surfactant
Polyethylene, oxidized (as defined in 21 CFR 172.260(a)).	Surfactants, related adjuvants of surfactants
Polyoxyethylated primary amine (C ₁₄ -C ₁₈); the fatty amine is derived from an animal source and contains 3% water; the poly(oxyethylene) content averages 20 moles.	Applied prior to planting of any crop, or as directed spray around the base of any crop..	Surfactant
Polyvinylpyrrolidone, butylated.	Surfactants, related adjuvants of surfactants
Sodium polyflavonoidsulfonate, consisting chiefly of the copolymer of catechin and leucocyanidin.	Sunscreen agent for viral insecticides for use on cotton
Styrene--maleic anhydride copolymer	For preemergence use only..	Suspending or dispersing agent
Styrene--maleic anhydride copolymer, ester derivative.	Limited to 3% of the formulation..	Suspending or dispersing agent. For pre-emergence use and use prior to formation of edible parts of plant
α -[2,4,6-Tris[1-(phenyl)ethyl]phenyl]- ω -hydroxy poly(oxyethylene) poly(oxypropylene) copolymer, the poly(oxypropylene) content averages 2-8 moles, the poly(oxyethylene) content averages 16-30 moles, and the average molecular weight (in amu) is 1,500.	Not more than 15% in the pesticide formulation..	Do.
Urea--formaldehyde copolymer (minimum average molecular weight (in amu) 30,000); CAS No. 9011-05-6.	Encapsulating agent
Vinyl chloride--vinyl acetate copolymers.	Not more than 2% of pesticide formulation.	Inert binding agent for formulation applied only to soil.
Vinylpyrrolidone--styrene copolymer (CAS Reg. No. 25086-29-7).	Not to exceed 2% of the formulation..	Opacifier

iii. Section 180.1001 is further amended by removing the following entries from the table in paragraph (e):

Inert ingredients	Limits	Uses
Acrylic acid--stearyl methacrylate copolymer (CAS Reg. No. 27756-15-6), minimum number average molecular weight (in amu) 2,500.	Emulsifier, suspending agent, or rheology modifier
Acrylonitrile--butadiene copolymer (CAS Reg. No. 9003-18-3) conforming to 21 CFR 180.22, minimum average molecular weight (in amu) 1,000.	Carrier in animal tag and similar slow-release devices
α -Butyl- ω -hydroxypoly (oxypropylene) block polymer with poly(oxyethylene); molecular weight (in amu) 2,400-3,500.	Surfactants, emulsifier, related adjuvants of surfactants.
1,4-Butanediol-methylenebis(4-phenylisocyanate)-poly(tetramethylene glycol) copolymer (CAS Reg. No. 9018-04-6); minimum molecular weight (in amu) 158,000.	Solid diluent; carrier
Castor oil, polyoxyethylated; the poly(oxyethylene) content averages 5-54 moles.	Surfactants, related adjuvants of surfactants
Castor oil, polyoxyethylated; the poly(oxyethylene) content averages 40 moles.	Surfactants, related adjuvants of surfactants
Chlorinated polyethylene (CAS Reg. No. 64754-90-1).	Resin, component animal tag
Cross-linked polyurea-type encapsulating polymer.	Encapsulating agent
1,2-Ethanediamine, polymer with oxirane and methyloxirane (CAS Reg. No. 26316-40-5) minimum number average molecular weight 2,800 and the range of number average molecular weight is 2,800 to 10,000 daltons.	Surfactant, dispersing agent
α -Hydro- ω -hydroxypoly (oxypropylene); molecular weight (in amu) 2,000.	Surfactants, related adjuvants of surfactants