

APPENDIX A
ABBREVIATIONS AND SYMBOLS

AB	Aft bulkhead	BAT	Battery
AC	Alternating current	BCD	Binary-coded decimal
A/C	Audio center	BCN	Beacon
A/C	A and C quads (RCS)	B/D	B and D quads (RCS)
ACCEL	Accelerometer	BECO	Booster engine cutoff
ACCUM	Accumulator	BIOINST	Bioinstrumentation
ACE	Acceptance checkout equipment	BIOMED	Biomedical
ACK	Acknowledge	BLWR	Blower
ACS	Attitude control subsystem	BMAG	Body-mounted attitude gyro
ACTY	Activity	B.O.	Breakout switches
A/D	Analog to digital	BPC	Boost protective cover
ADA	Angular differentiating accelerometer	bps	Bits per second
ADAP	Adapter	BRT	Bright
ADJ	Adjust	Btu	British thermal unit
AESB	Aft equipment stowage bay	BU	Backup
AF	Audio frequency/atmospheric flight	BUR	Backup rate
AGC	Automatic gain control	BURR	Backup rate roll
AH	Ampere-hours	BURP	Backup rate pitch
AM	Amplitude modulation	BURY	Backup rate yaw
AMPL	Amplifier	CAB	Cabin
AMPS	Amperes	CA(OH) ₂	Calcium hydroxide
AMS	Apollo mission simulator	CAMR	Camera
ANAL	Analyzer	CB	Circuit breaker
ANLG	Analog	cc	Cubic centimeter
ANT	Antenna	CCW	Counterclockwise
AOA	Angle of Attack	C&D	Controls and displays
AOH	Apollo Operations Handbook	CDF	Confined detonating fuse
ARS	Attitude reference subsystem	CDH	Constant delta altitude
ASA	Abort sensor assembly	CDU	Coupling data unit
ASCP	Attitude set control panel	CF	Coasting flight
ASD	Apollo standard detonator	CFE	Contractor-furnished equipment
AS/GPI	Attitude set/gimbal position indicator	CFP	Concentric flight plan
ATT SET	Attitude set	cfm	Cubic feet per minute
ATT	Attenuator/attitude	CG	Center of gravity
AUTO	Automatic	CHAN	Channel
AUX	Auxiliary	CHGR	Charger
AVC	Automatic volume control	CLR	Clear
BARO	Barometric	CM	Command module
		CMC	Command module computer
		CMD	Command
		COAS	Crewman optical alignment sight

ABBREVIATIONS AND SYMBOLS

SM2A-03-BLOCK II-(1)
APOLLO OPERATIONS HANDBOOK

COI	Contingency orbit insertion	E	Elevation angle
COMM	Communications	ECA	Electronic control assembly
COMP	Compressor, computing		
COND	Condenser/conditioner	EC&L	Error counter and logic
CONT	Control	ECG	Electrocardiograph
CONTR	Control	ECO	Engine combustion/engine cutoff
CO2	Carbon dioxide		
CPC	Cold plate clamp	ECS	Environmental control system
cps	Cycles per second		
CRYO	Cryogenic	ECU	Environmental control unit
CSC	Cosecant computing amplifier	EDA	Electronic display assembly
CSI	Coelliptic sequence initiation	EDS	Emergency detection system
CSM	Command and service module	Eig	Voltage-inner gimbal
CSS	Computer subsystem	EL	Electroluminescent
CTE	Central timing equipment	ELEC	Electronics
CTS	Computer test set	ELS	Earth landing subsystem
CW	Clockwise/continuous wave	ELSC	Earth landing sequence controller
\overline{CW}	Not clockwise	EMER	Emergency
C/W	Caution and warning	Emg	Voltage-middle gimbal
CWG	Constant wear garment	EMS	Entry monitor system
C&WS	Caution and warning system	EMU	Extravehicular mobility unit
		ENC	Encode
DA	Detector assembly	ENG	Engine
D/A	Digital-to-analog	ENTR	Enter
DAC	Digital to analog converter	Eog	Voltage-outer gimbal
DAP	Digital auto pilot	EOS	Emergency oxygen system
db	Decibel	EPS	Electrical power subsystem
DB	Deadband	EQUIP	Equipment
DC	Direct current	ERR	Error
D&C	Displays and controls	ESS	Essential
DCT	Docked configuration transfer	EV	Extravehicular
D&CT	Docking and crew transfer	EVT	Extravehicular transfer
DDP	Data distribution panel	EVA	Extravehicular activities
DEA	Display electronic assembly	EVAP	Evaporator
DEC	Decrease	EVCT	Extravehicular crew transfer
DECR	Decrease	E Visor	Extravehicular visor assembly
DEG	Degree		
DEMODO	Demodulate	EXCH	Exchanger
DET	Digital event timer/detector	EXH	Exhaust
DISCH	Discharge	EXT	Extension
DLH	Docking lock handle	EXTD	Extended
DN	Down		
DPST	Double-pole single-throw	FL	Flash
DRG	Digital ranging generator	FC (F/C)	Fuel cell
DS	Docking subsystem	FCD	Fecal containment system
DSE	Data storage equipment	FCSO	Flight Crew Support
DSIF	Deep Space Instrumentation Facility		Division (MSC)
		FCSM	Flight combustion stability monitor
DSKY	Display and keyboard		
DU	Direct ullage		
DUP	Duplex		

ABBREVIATIONS AND SYMBOLS

SM2A-03-BLOCK II-(1)
APOLLO OPERATIONS HANDBOOK

FDAI	Flight director attitude indicator	Hz	Hertz (cps)
FE	Fecal emesis	ICDU	Inertial coupling data unit
FLSC	Flexible linear-shaped charge	ICS	Intercommunication system
FM	Frequency modulation	IECO	Inboard engine cut-off
FOV	Field of view	IF	Intermediate frequency
FPS	Feet per second/frame per second	IGA	Inner gimbal angle
FQR	Flight qualification recorder	IGN	Ignition
FQTR	Flight qualification tape recorder	IMP	Impulse
FS	Fail sense	IMU	Inertial measurement unit
FST	Free space transfer	INCR (INC)	Increase
FUNCT	Functional	IND	Indicator
FWD	Forward	INST (INSTR)	Instrument
		INV	Inverter
		IPB	Illuminated pushbutton
		ips	Inches per second
		IRIG	Inertial rate integrating gyro
GA	Gyro assembly		
G&C	Guidance and control	ISOL	Isolation
g	Gravity	ISS	Inertial subsystem
g/v	Gravity vs velocity	IU	Instrument units
GDC	Gyro display coupler		
GET	Ground elapse time	JETT	Jettison
GFP	Government-furnished property		
GLY	Glycol	KBS (KBPS)	Kilo bits per second
GMBL	Gimbal	kc	Kilocycle
GMT	Greenwich Mean Time	KHz	Kilo Hertz (kilocycles)
G/N (G&N)	Guidance and navigation	kmc	Kilomegacycle
GN2	Gaseous nitrogen	KmHz	Kilomega Hertz
GPI/FPI	Gimbal position indicator and fuel pressure indicator	KOH	Potassium hydroxide
GPI	Gimbal position indicator	LAT	Latitude
GSE	Ground support equipment	lb/hr	Pounds per hour
GSOP	Guidance system operations plan	lb min	Pounds per minute
GTA	Ground test access	LBR	Low-bit rate
GUID	Guidance	LCC	Launch control center
		LCG	Liquid cooled garment
		LDEC	Lunar decking events controller
ha	Apogee altitude	LDG	Landing
HBR	High-bit rate	LEA	Launch escape assembly
He	Helium	LEB	Lower equipment bay
HEX	Hexagonal	LEM	Launch escape motor
HF	High frequency	LES	Launch escape system
HGA	High gain antenna	LET	Launch escape tower
HI	High	LEV	Launch escape vehicle
hp	Perigee altitude	LGS	LM guidance computer
HR	Hour	LHEB	Left-hand forward equipment bay
HT EXCH	Heat exchanger		
HTRS	Heaters		
H2	Hydrogen	LIO	Liquid
H2O	Water	LLOS	Landmark line of sight
		LM	Lunar module

ABBREVIATIONS AND SYMBOLS

SM2A-03-BLOCK II-(1)
APOLLO OPERATIONS HANDBOOK

LMK	Landmark	NR	North American Rockwell Corporation
LO	Low		
LOC	Lunar orbit coast	NRZ	Non-return to zero
LOI	Lunar orbit insertion	N2	Nitrogen
LONG	Longitude	N2B	Gaseous nitrogen
LOR	Lunar orbit rendezvous	N2H4	Hydrazine (fuel)
LOS	Line of sight	N2O4	Nitrogen tetroxide (oxidizer)
LPH	Legrest pin handle		
LSB	Least significant bit		
LSC	Linear shaped charge	OCDU	Optical coupling data unit
LSSC	Lunar module separation	OECO	Outboard engine cutoff
LT	Light	OGA	Outer gimbal angle
LTG	Lighting	OI	Orbit insertion
LV	Launch vehicle	OMNI	Omnidirectional
		OPR	Operator
MAN	Manual	ORDEAL	Orbit rate drive electronics Apollo LM
MANF	Manifold		
MAX	Maximum	OSC	Oscillator
mc	Megacycles	OSS	Optics subsystem
MC	Midcourse correction	OVLD	Overload
MCC	Mission Control Center	OXID	Oxidizer
MCT	Memory cycle time	O2	Oxygen
MDA	Motor drive amplifier		
MDC	Main display console	p	Roll control axis
MDF	Mild detonating fuse	PA	Power amplifier
MERU	Milli earth rate unit	PAM	Pulse amplitude modulation
MESC	Master event sequence controller	PB	Pushbutton
		P/B	Playback
MGA	Middle gimbal angle	PCM	Pulse code modulation/pitch control motor
MGMT	Management		
MHz	Mega Hertz	PCVB	Pyro continuity verification box
MIN	Minimum/minute		
MMH	Monomethylhydrazine	PF	Powered flight
mm Hg	Millimeters of mercury	PGA	Pressure garment assembly
MN A	Main bus A	PGNCS	Primary guidance, navigation and control system
MN B	Main bus B		
MSC	Manned Spacecraft Center		
MSD	Monitor selection decoder	PH	Phase
MSFC	Marshall Space Flight Center	pH	Alkalinity to acidity content (hydrogen ion concentration)
MSFN	Manned space flight network		
MSN	Mission		
MT	Mission timer	PIPA	Pulsed integrating pendulous accelerometer
MTVC	Manual thrust vector control		
MULTI	Multiplexer	PKG	Package
		PL	Postlanding
NAV	Navigation	PLSS	Portable life support system
NB	Navigation base	PLV	Postlanding ventilation
NON	None	PLVC	Postlanding ventilation control
NORM	Normal		
NPDS	Nuclear particle detection system	PM	Phase modulation
		PMP	Premodulation processor

ABBREVIATIONS AND SYMBOLS

SM2A-03-BLOCK II-(1)
APOLLO OPERATIONS HANDBOOK

POT	Potable	REV	Reverse
PP	Partial pressure	RF	Radio frequency
PPK	Pilot's preference kit	RHC	Rotational hand control
pps	Pulses-per-second	RHEB	Right-hand equipment bay
PRD	Personnel radiation dosimeter	RHFEB	Right-hand forward equipment bay
PRESS	Pressure - pressurize - pressurization	RJD	Reaction jet driver
PRF	Pulse repetition frequency	RJEC	Reaction jet engine ON-OFF control
PRIM (PRI)	Primary	R/L	Right/Left
PRN	Pseudo-random noise	RLSE	Release
PROG	Program	RLVDT	Rotary linear variable differential transformer
PROP	Propellant	RLY	Relay
PRPLNT	Propellant	R-M	Reference and measurement
PRR	Pulse repetition rate	RNDZ	Rendezvous
PSA	Power servo assembly	RNG	Ranging
PSC	Pressure suit circuit	ROT	Rotation
PSI	Pounds per square inch	R/R	Remove/replace
PSIA	Pounds per square inch absolute	RRT	Rendezvous radar transponder
PSID	Pounds per square inch differential	RSET	Reset
PSIG	Pounds per square inch gauge	RSI	Roll stability indicator
PSO	Pad safety officer	RSM	Radiation survey meter
PTT	Push to talk	RSO	Range safety officer
PU	Propellant utilization	R/T	Real time
PUGS	Propellant utilization and gauging system	RTC	Real-time commands
PWR	Power	RUPT	Interrupt
PYRO	Pyrotechnic	RZ	Return to zero
q	Pitch control axis	SA	Signal analyzer assembly
QTY	Quantity	SBASI	Single bridgewire Apollo standard initiator
r	Yaw control axis	SC	Spacecraft
RAD	Radiator	SCE	Signal conditioning equipment
RAI	Roll attitude indicator	SCI	Scientific
RC	Rotation control	SCIN	Scimitar-notch
RCDR	Recorder	SCT	Scanning telescope
RCS	Reaction control system	SCO	Sub-carrier oscillator
RCSC	Reaction control system controller	SCS	Stabilization and control system
RCV (RCVR)	Receive/Receiver	SEC	Secondary
REACQ	Reacquire	SECO	SIVB engine cutoff
REACS	Reactants	SECS	Sequential events control system
REC	Receive	SEL	Select
RECT	Rectifier	SENS	Sensitivity
RECY	Recovery	SEP	Separation
REFSMMAT	Ref-to-stable member matrix	SEQ	Sequencer/sequential
REG	Regulator	SIG	Signal
REL	Release		
RESVR	Reservoir		

ABBREVIATIONS AND SYMBOLS

SM2A-03-BLOCK II-(1)
 APOLLO OPERATIONS HANDBOOK

SIM	Simplex	TPI	Terminal phase initiation
SLA	Spacecraft lunar module adapter	T/R	Transmit/receive
SLOS	Star line of sight	TRGT	Target
SM	Service module	TRNFR	Transfer
SMJC	Service module jettison controller	TTE	Time-to-event
SMRD	Spin motor rotation detector	TTINT	Time to intercept
SNSR	Sensor	TV	Television
SOV	Shutoff valve	TVC	Thrust vector control
SPEC	Specification	TVSA	Thrust vector position servo amplifier
SPLH	Seat pin lock handle	TWR	Tower
SPS	Service propulsion system/ sample per second	TWT	Traveling wave tube
SQ	Square	UCD	Urine collection device
SSA	Space suit assembly	UDL	Up-data link
SSB	Single side-band	UDMH	Unsymmetrical dimethyl hydrazine (fuel)
S/S	Samples per second	UHF	Ultra-high frequency
STA	Station	ULL	Ullage
STAB	Stabilization	UNBAL	Unbalance
STBY	Standby	UPTL	Up-link telemetry
STD	Standard	USBE	Unified S-band equipment
SU	Separation ullage	USBS	Unified S-band system
SUP	Supply		
SW	Switch	V	Velocity
SXT	Sextant	VABD	Van Allen belt dosimeter
SYNC	Synchronize	VAC	Vacuum/volts alternating current
SYS	System	Vc	Circular velocity
TB	Talkback	VCO	Voltage control oscillator
TBD	To be determined	VDC	Volts direct current
TC	Translation control	VHF	Very-high frequency
TELCOM (T/C)	Telecommunications	VLV	Valve
TEC	Transearch coast	VM	Velocity measured
TEI	Transearch injection	Vo	Initial velocity
TEMP	Temperature	VOX	Voice-operated relay/ voice-operated transmission
TFF	Time of freefall		
TFL	Time-from-launch	W/G	Water-glycol
THC	Translation hand control	WMS	Waste management system
TIG	Time of ignition		
TJM	Tower jettison motor	XCVR	Transceiver
TK	Tank	XDUCER	Transducer
TLC	Translunar coast	XFMR	Transformer
TLI	Translunar injection	XLATION	Translation
TLM	Telemetry or telemetered	XLUNAR	Translunar
TMG	Thermal meteoroid garment	XMTR	Transmitter
TPAC	Telescope Precision Angle Counter	XPNDR (XPONDER)	Transponder
TPF	Transfer phase final		

ABBREVIATIONS AND SYMBOLS

SM2A-03-BLOCK II-(1)
APOLLO OPERATIONS HANDBOOK

ZN	Zinc
ΔP	Differential pressure
ΔV	Differential velocity
\emptyset	Roll axis designation/phase
θ	Pitch axis designation
ψ	Yaw axis designation
α	Entry pitch attitude
γ	Angle between local horizontal and velocity vector

ABBREVIATIONS AND SYMBOLS

SM2A-03-BLOCK II-(1)
 APOLLO OPERATIONS HANDBOOK

ALPHABETICAL INDEX

The following index consists of all paragraphs. They are arranged in alphabetical order and location paragraph numbers are given. This index includes material from sections 1 through 3 only.

Title	Para No.	Title	Para No.
A			
Ablative Combustion Chamber	2.4.2.5	Loose Equipment	
Abort Request Light	2.9.4.5.3	Stowage	1.3.2.3.3
Aborts	2.9.4.14	Protection Panels	1.3.2.3.2
Mode 1A	2.9.3.2	Crew Couches	1.3.2.5
.	2.9.4.14.3	CM Impact Attenuation	
Mode 1B	2.9.4.14.7	System	1.3.2.5.1
Modes 1B and 1C	2.9.3.3	Foldable Couch	
Mode 1C	2.9.4.14.8	Structure	1.3.2.5.2
Modes 2, 3, and 4.	2.9.3.4	Crew Stations	1.3.2.7
Abort Start	2.9.4.14.1	Crew Life Support	1.3.2.7.6
AC and DC Data	2.6.4.1	External	
Accelerometer.	2.3.7.5.1	Illumination Aids	1.3.2.7.4
Accelerometer (G-Meter).	2.11.3	Internal Sighting	
Accessories.	2.12.5.4	Aids	1.3.2.7.3
Activate ELSC.	2.9.4.13.9	Medical	
Active Docking Target,		Equipment	1.3.2.7.7
LM	2.12.4.1.4	Mission Operational	
Aft Compartment	1.3.22	Aids	1.3.2.7.5
Aids, Mission Operational	2.12.5	Postlanding Recovery	
Angle of Attack Monitor.	2.9.4.8.1	Aids	1.3.2.7.9
Antenna Equipment.	2.8.2.4	Radiation Monitoring	
Antenna Equipment Group.	2.8.3.5	Equipment	1.3.2.7.8
Apex Cover Jettison	2.9.4.13.12	Restraints	1.3.2.7.2
Apollo Spacecraft Configuration	1.3	Spacesuits.	1.3.2.7.1
Command Module	1.3.2	Stowage and Internal	
Aft Compartment	1.3.2.2	Configuration	1.3.2.7.10
CM Mechanical Controls.	1.3.2.6	Launch Escape Assembly.	1.3.1
Side Access Hatch	1.3.2.6.1	Service Module	1.3.3
Forward Access		Spacecraft LM Adapter	1.3.4
Hatch	1.3.2.6.2	Apollo Standard Initiator	2.9.5.1
Windows and		Arm ELSC	2.9.4.13.8
Shades.	1.3.2.6.3	Arming Pyro Buses	2.9.4.2.1
Crew Compartment	1.3.2.3	Arming Sequential Systems	
Crew Compartment		Logic Circuits	2.9.4.1.1
and Equipment		Attitude	
Bays	1.3.2.3.1	Configurations	2.3.4.4

SM2A-03-BLOCK II-(1)
 APOLLO OPERATIONS HANDBOOK

Title	Para No.	Title	Para No.
Control	2.1.3	Major Component/Subsystem	
Control Subsystem (ACS)	2.3.4	Description	2.10.3
Error Display Mode	2.2.4.7	Electrical Power	
Reference	2.1.2	Distribution	2.10.3.1
Reference Subsystem	2.3.3	Operational Limitations and	
Set Control Panel (ASCP)	2.3.2.2.3	Restrictions	2.10.4
Audio Center Equipment	2.8.3.1.4	C&WS General Data	2.10.4.1
Auto Abort Logic	2.9.4.7.2	System Status Light	
Automatic Coil Commands	2.3.4.3.2	Data	2.10.4.2
Automatic Control	2.3.4.4.2	C&WS General Data	2.10.4.1
		Central Timing Equipment	
B		(CTE)	2.8.3.3.4
Bag, Accessory	2.12.5.4.8	Check Valve Assemblies	2.4.2.1.4
Bags, Temporary Stowage	2.12.5.4.1		2.5.2.1.4
Baro Switch Lock Up,		Circuit Concept	2.9.2.12
24,000 Ft	2.9.4.13.10	Clamps, UCD	2.12.2.1.3
Batteries	2.6.3.2	CM Docking Ring	2.13.3.1
Battery Charger	2.6.3.5	CM Impact Attenuation	
Bioinstrumentation Harness	2.12.2.1.1	System	1.3.2.5.1
Bioinstrumentation Harness		CM RCS	
Assembly	2.12.7.1	Electrical Power	
Biomed Belt	2.12.2.1.1	Distribution	2.5.7.3
Biomedical Signal Conditioner		Functional Description	2.5.5
Assembly	2.12.7.1.2	Interface	2.9.4.13.6
Bipropellant Valve Assembly		Major Components/	
Check Valves	2.4.2.3.10	Subsystems Description	2.5.6
Boosters		Operation Limitations and	
First Stage	1.2.1.1	Restrictions	2.5.8
Second Stage	1.2.1.2	Performance and Design	
Third Stage	1.2.1.3	Data	2.5.7
Burning of the CM RCS		CM-SM Separation and SM	
Propellants	2.9.4.13.15	Jettison	2.9.2.6
		CM-SM Separation Control	2.9.4.13.1
C		CM-SM Separation System	2.9.5.12.4
Cable, Grounding	2.12.5.4.10	Combustion Chamber	2.5.2.3.3
Cameras	2.12.5.3	Command Module	1.3.2
16 mm	2.12.5.3.1	Command Module Computer	2.2.3.2.1
70 mm	2.12.5.3.2	Command Module Exterior	
Canard Actuators	2.9.5.13.2	Lighting	2.6.7
Canard Deploy and ELSC		Command Module Uprighting	
Arm	2.9.4.14.4	System	2.11.4
Caution and Warning System	2.10	Communications Cable (Electrical	
Introduction	2.10.1	Umbilical Assembly)	2.8.3.1.3
Functional Description	2.10.2	Communications Cable With	
		Control Head	2.12.2.1.8
		Compliance With Design	
		Requirements	2.9.5.2

SM2A-03-BLOCK II-(1)
APOLLO OPERATIONS HANDBOOK

Title	Para No.	Title	Para No.
Component Description, Crew Personal Equipment	2.13.3	Guidance and Navigation Station Restraint	2.12.3.2.3
Component Description, Power Plants	2.6.3.3.1	Hand Straps	2.12.3.2.1
Component Selection and Installation	2.9.5.3	Restraint Straps	2.12.3.2.6
Computer Mode Operation	2.2.4.10.5	Sleep Restraint Tiedown Ropes	2.12.3.2.2
Computer Subsystem	2.2.3.2	Sleep Station Restraints	2.12.3.2.4
Configuration Apollo Spacecraft	1.3	Tunnel Hatch Stow Bag	2.12.3.2.9
Launch Vehicle and Booster	1.2	Velcro and Snaps Retainer Locations	2.12.3.2.8
Constant Wear Garment	2.12.2.1.4	"g" Load Restraints	2.12.3.1
Containers	2.12.5.4.14	Crewman Restraint Harness	2.12.3.1.1
Contingency Feeding System	2.12.6.2.3	Hand Bar	2.12.3.1.3
Controls and Displays, Description	1.3.2.4	Handholds	2.12.3.1.2
Controls and Displays, Introduction	3.1	Heel Restraints	2.12.3.1.4
Controls and Displays, SCS	2.3.2.2	Equipment Stowage	2.12.10
Controls, Sensors, and Displays	2.3.2	Introduction	2.12.1
Coolant Flow	2.7.6.1	Medical Supplies and Equipment	2.12.7
Corridor Verification Indicators	2.3.7.1.3	Bioinstrumentation Harness Assembly	2.12.7.1
Couch Floodlight Glareshield	2.12.4.1.7	Bioinstrumentation Accessories or Spares	2.12.7.1.3
Coupling Data Unit	2.2.3.1.3	Biomedical Signal Conditioner Assembly	2.12.7.1.2
	2.2.3.3.2	Personal Biomedical Sensors Instrument Assembly	2.12.7.1.1
Crew Compartment	1.3.2.3	Medical Accessories Kit	2.12.7.2
Crew Couches	1.3.2.5	Mission Operational Aids	2.12.5
Crew Life Support	2.12.6	Accessories and Miscellaneous Equipment	2.12.5.4
Crewman Toolset	2.12.5.2	Accessory Bag	2.12.5.4.8
Crew Personal Equipment	2.12	Containers	2.12.5.4.14
Crew Life Support	2.12.6	Flag Kit	2.12.5.4.13
Crew Water	2.12.6.1	Fire Extinguisher	2.12.5.4.3
Drinking Water Subsystem	2.12.6.1.1	Grounding Cable	2.12.5.4.10
Food Preparation Water	2.12.6.1.2	Headrest Pad	2.12.5.4.9
Food	2.12.6.2		
Stowage	2.12.6.2.2		
Use	2.12.6.2.1		
Crewman Restraints	2.12.3		
Zero-g Restraint	2.12.3.2		
MDC Glareshade Straps	2.12.3.2.7		

SM2A-03-BLOCK II-(1)
APOLLO OPERATIONS HANDBOOK

Title	Para No.	Title	Para No.
Inflight Exerciser	2.12.5.4.5	Wet Cleansing	
Oxygen Masks	2.12.5.4.4	Cloth	2.12.6.4.2
Pilot's Preference		Radiation Monitoring and	
Kits	2.12.5.4.2	Measuring Equipment.	2.12.8
Tape Roll	2.12.5.4.6	Nuclear Particle	
Telecommunications		Detection System	2.12.8.5
Switchguide	2.12.5.4.12	Passive Dosimeters.	2.12.8.1
Temporary Stowage		Radiation Survey Meter	2.12.8.3
Bags	2.12.5.4.1	Van Allen Belt	
Two-Speed Timer	2.12.5.4.7	Dosimeter	2.12.8.4
Cameras.	2.12.5.3	Sighting and Illumination Aids.	2.12.4
16 mm Data		External Sighting and	
Acquisition		Illumination Aids	2.12.4.2
Camera	2.12.5.3.1	Docking Spotlight	2.12.4.2.1
70 mm Hasselblad		EVA Handles With	
Electric Camera and		RL Disks	2.12.4.2.3
Accessories	2.12.5.3.2	EVA Floodlight	2.12.4.2.4
Spotmeter,		Rendezvous Beacon.	2.12.4.2.5
Automatic	2.12.5.3.3	Running Lights.	2.12.4.2.2
Crewman Toolset.	2.12.5.2	Internal Sighting and	
Description and		Illumination Aids	2.12.4.1
Use	2.12.5.2.2	Couch Floodlight	
General.	2.12.5.2.1	Glareshield	2.12.4.1.7
Flight Data File	2.12.5.1	Crewman Optical	
Data File Clip	2.12.5.1.2	Alignment Sight.	2.12.4.1.3
LM Pilot's Flight Data		Eyepatch	2.12.4.1.9
File.	2.12.5.1.1	Internal Viewing	
Scientific Instrumentation		Mirrors	2.12.4.1.2
Outlets.	2.12.5.6	LM Active Docking	
Voice Recorder,		Target.	2.12.4.1.4
Cassettes, and Battery		MDC Glareshades	2.12.4.1.8
Packs	2.12.5.4.11	Meter Covers	2.12.4.1.11
Utility Outlets	2.12.5.5	Monocular.	2.12.4.1.6
Waste Management		Telescope Sun	
System and Supplies	2.12.6.3	Filters	2.12.4.1.10
Contingency Feeding		Window Markings	2.12.4.1.5
System	2.12.6.2.3	Window Shades.	2.12.4.1.1
Dry Cleansing		Spacesuits	2.12.2
Cloth	2.12.6.4.2	Extravehicular Mobility	
Fecal Subsystem.	2.12.6.3.3	Unit	2.12.2.4
General		Extravehicular	
Description	2.12.6.3.1	Spacesuit	2.12.2.3
Oral Hygiene Set.	2.12.6.4.1	Liquid Cooled	
Personal Hygiene	2.12.6.4	Garment.	2.12.2.3.1
Urine Subsystem.	2.12.6.3.2	Spacesuit Assembly	
Utility Towels	2.12.6.4.4	(Intravehicular)	2.12.2.1
Vacuum QD	2.12.6.3.5	Bioinstrumentation	
Waste Stowage Vent		Harness and Biomed	
System	2.12.6.3.4	Belt.	2.12.2.1.1

SM2A-03-BLOCK II-(1)
 APOLLO OPERATIONS HANDBOOK

Title	Para No.	Title	Para No.
Communications Cable With Control		D	
Head	2.12.2.1.8	Data Acquisition Camera, 16 mm	2.12.5.3.1
Communication Soft Hat	2.12.2.1.6	Data Equipment	2.8.2.2 2.8.3.3
Constant Wear Garment	2.12.2.1.4	Data Equipment Interfaces	2.8.3.3.3
Constant Wear Garment "T" Adapter	2.12.2.1.7	Data File Clip	2.12.5.1.2
Eartube	2.12.2.1.6	Data Storage Equipment	2.8.3.3.8
Fecal Containment System	2.12.2.1.2	Deadfacing the CM-SM Umbilical	2.9.4.13.3
Flight Coveralls	2.12.2.1.5	Delta Velocity Functions	2.3.7.2
Lightweight Headset	2.12.2.1.6	Delta Velocity Indicator.	2.3.7.2.2
Pressure Garment Assembly	2.12.2.1.9	Delta V/Range-To-Go Indicator.	2.3.7.1.4
UCD Clamps.	2.12.2.1.3	$\Delta V/EMS$ SET Switch	2.3.7.3.3
Urine Collection and Transfer Assembly	2.12.2.1.3	$\Delta V/RANGE$ Display Circuits	2.3.7.5.5
Spacesuit Related Equipment	2.12.12.2	Deployment of Drogue Parachute	2.9.4.13.13
EMU Maintenance Kit	2.12.2.2.4	Deployment of Main Parachute and Release of Drogues	2.9.4.13.14
Oxygen Hose Assembly	2.12.2.2.1	Description, General, Sequential Systems	2.9.2
Oxygen Hose Coupling.	2.12.2.2.2	Design Criteria	2.9.2.11
Oxygen Hose Screen Caps	2.12.2.2.3	Design Data CM RCS	2.5.7.1
Postlanding Recovery Aids	2.12.9	Crew Personal Equipment	2.13.4.1
Dye Marker	2.12.9.2	SM RCS	2.5.3.1
Postlanding Ventilation Ducts	2.12.9.1	SPS	2.4.3.1
Recovery Beacon	2.12.9.3	Detonators	2.9.5.12
Sea Water Pump	2.12.9.5	Diaphragm Burst Isolation Valve	2.5.6.2.3
Snagging Line	2.12.9.4	Digital Ranging Generator (VHF Ranging)	2.8.3.4.2
Survival Kit	2.12.9.6	Direct Coil Commands	2.8.4.3.3
Rucksack I	2.12.9.6.1	Disable CM RCS/SCS.	2.9.4.13.11
Rucksack II	2.12.9.6.2	Display and Keyboard	2.2.3.2.2
Swimmer Umbilical	2.12.9.2	Display Switching Interfaces.	2.3.2.3.1
Crew Stations	1.3.2.7	Distribution Plumbing Pressurization Subsystem CM RCS	2.5.6.1.6
Cryogenic Storage.	2.6.3.1	Pressurization Subsystem SM RCS.	2.5.2.1.6
Cryogenic Storage Subsystem	2.6.5.2		

SM2A-03-BLOCK II-(1)
 APOLLO OPERATIONS HANDBOOK

Title	Para No.	Title	Para No.
Propellant Subsystem		Operational Limitations	
CM RCS	2.5.6.2.5	and Restrictions	2.13.5
Propellant Subsystem		Performance and Design	
SM RCS	2.5.2.2.4	Data	2.13.4
Docking		Design Data	2.13.4.1
Latches	2.13.3.2	Docking Latches	2.13.4.1.1
	2.13.4.1.1	Docking Probe	2.13.4.1.2
Operation Sequence	2.13.1.1	Probe Pressure	
System Electrical Mechanical		System	2.13.4.1.3
Schematic	2.13.3.9	Performance Data	2.13.4.2
Docking and Transfer	2.13	Docking Probe	2.13.4.1.2
Component Description	2.13.3	Assembly	2.13.3.3
CM Docking Ring	2.13.3.1	Retraction	2.9.2.3
Docking Latches	2.13.3.2		2.9.4.10
Docking Probe		Drogue Assembly	2.13.3.4
Assembly	2.13.3.3	Dry Cleansing Cloth	2.12.6.4.2
Pitch Arms and Tension		DSE	2.8.4.3
Linkages	2.13.3.3.2	Dye Marker	2.12.9.2
Probe Body - Extension			
Latch Assembly	2.13.3.3.4	E	
Probe Head - Capture		Eartube	2.12.2.1.6
Latches	2.13.3.3.5	ECS Performance and Design	
Probe Umbilicals	2.13.3.3.8	Data	2.7.8
Ratchet Assembly	2.13.3.3.6	ECS Radiator Control	2.7.6.3
Retraction System	2.13.3.3.7	EDS Automatic Abort	
Shock Attenuators	2.13.3.3.3	Activation and	
Support Structure	2.13.3.3.1	Deactivation	2.9.4.5.1
Docking System		EDS Automatic Abort	
Electrical Mechanical		Deactivate	2.9.4.8.2
Schematic	2.13.3.9	EDS Bus Changeover	2.9.4.3
Drogue Assembly	2.13.3.4	Electrical Power Distribution	2.7.7
Forward Tunnel Hatch	2.13.3.6		2.8.3.6
LM Tunnel Hatch	2.13.3.7		2.10.3.1
Tunnel and LM		Electrical Power System	2.6
Pressurization	2.13.3.8	Command Module Exterior	
LM Pressure Dump		Lighting	2.6.7
Valve	2.13.3.8.3	Floodlight System	2.6.7.1
LM/Tunnel Vent		Integral Lighting	
Valve	2.13.3.8.2	System	2.6.7.2
Pressure Equalization		Numerics Lighting	
Valve	2.13.3.8.1	System	2.6.7.3
Vehicle Umbilicals	2.13.3.5	Tunnel Lighting	2.6.7.4
Functional Description	2.13.2	Functional Description	2.6.2
Introduction	2.13.1	Energy Storage	2.6.2.1
Docking Operational		Power Conversion	2.6.2.3
Sequence	2.13.1.1		

SM2A-03-BLOCK II-(1)
 APOLLO OPERATIONS HANDBOOK

Title	Para No.	Title	Para No.
Power Distribution	2.6.2.4	Thrusting Logic	2.5.2.5
Power Generation.	2.6.2.2	Thrust ON-OFF Control	2.4.2.10
Introduction	2.6.1	Thrust ON-OFF Logic	2.5.6.3.6
Major Component/Subsystem		Engine Assemblies	2.5.2.3
Description	2.6.3	Engine Assembly.	2.5.6.3
Batteries	2.6.3.2	Entry Functions	2.3.7.1
Battery Charger	2.6.3.5	Entry Monitor System	2.3.7
Cryogenic Storage	2.6.3.1	Entry Scroll	2.3.7.4
Fuel Cell Power Plants	2.6.3.3	Environmental Control System	
Component		(ECS)	2.7
Description	2.6.3.3.1	ECS Performance and Design	
Fuel Cell Loading	2.6.3.3.2	Data	2.7.8
Inverters	2.6.3.4	Electrical Power Distribution.	2.7.7
Power Distribution	2.6.3.6	Functional Description.	2.7.2
Operational Limitations and		Spacecraft Atmosphere	
Restrictions	2.6.5	Control.	2.7.2.1
Additional Data.	2.6.5.3	Thermal Control	2.7.2.3
Cryogenic Storage		Water Management	2.7.2.2
Subsystem	2.6.5.2	Introduction.	2.7.1
Fuel Cell Power Plants	2.6.5.1	Oxygen Subsystem	2.7.3
Performance and Design		Pressure Suit Circuit	2.7.4
Data	2.6.4	Water-Glycol Coolant	
AC and DC Data	2.6.4.1	Subsystem.	2.7.6
Systems Test Meter	2.6.6	Coolant Flow.	2.7.6.1
Electrical Circuit		ECS Radiator Control	2.7.6.3
Interrupters	2.9.5.13.1	Glycol Temperature	
Electronics Control		Control.	2.7.6.2
Assembly (ECA)	2.3.4.2.5	Water Subsystem	2.7.5
ELSC Operation	2.9.4.14.5	Equipment Bays	1.3.2.3.1
ELS Equipment	2.9.2.8	Equipment Data,	
ELS Parachutes	2.9.2.9	Telecommunications	
Emergency Detection System	2.9.4.5	System	2.8.2.2.2
EMS Functional Data Flow	2.3.7.5	Equipment, Intercommunications	
EMS Switches	2.3.7.3	System	2.8.2.1.2
EMU Maintenance Kit	2.12.2.2.4	Equipment, Radio	
Enable Automated Control of		Frequency	2.8.2.3.2
the SM RCS	2.9.4.9.1	Exerciser, Inflight.	2.12.5.4.5
Energy Storage	2.6.2.1	External Illumination Aids	1.3.2.7.4
Engine		Forward Compartment	1.3.2.1
Ignition, Thrust On-Off		SC Controls and Displays.	1.3.2.4
Logic	2.3.5.6	Extinguish LIFT OFF and NO	
Injector	2.4.2.4	AUTO ABORT Lights	2.9.4.8.3
Propellant Lines	2.4.2.3.11	Extravehicular Mobility Unit	2.12.2.4
Solenoid Injector		Extravehicular Spacesuit	2.12.2.3
Temperature-Control		Eyepatch	2.12.4.1.9
System	2.5.6.3.5		

SM2A-03-BLOCKII-(1)
 APOLLO OPERATIONS HANDBOOK

Title	Para No.	Title	Para No.
F		G	
FDAI Display Sources	2.3.3.3	GDC Configurations	2.3.3.2
Fecal Containment System	2.12.2.1.2	Gimbal Actuator	2.4.2.8.1
Fecal Subsystem	2.12.6.3.3	Gimbal Position and Fuel Pressure Indicator (GP/FPI)	2.3.2.2.4
Fire Extinguisher	2.12.5.4.3	Glareshade Straps, MDC	2.12.3.2.7
Firing Circuit Protection	2.9.5.4	Glycol Temperature Control	2.7.6.2
Flag Kit	2.12.5.4.13	GN ₂ Ball Valve Actuators	2.4.2.3.8
Flight Coveralls	2.12.2.1.5	GN ₂ Filters (CSM 108 and Subs)	2.4.2.3.3
Flight Data File	2.12.5.1	GN ₂ Orifices	2.4.2.3.6
Flight Director Attitude Indicator (FDAI)	2.3.2.2.5	GN ₂ Pressure Regulators	2.4.2.3.4
Floodlight, EVA	2.12.4.2.4	GN ₂ Pressure Vessels	2.4.2.3.1
Floodlight System	2.6.7.1	GN ₂ Relief Valves	2.4.2.3.5
Foldable Couch Structure	1.3.2.5.2	GN ₂ Solenoid Control Valves	2.4.2.3.7
Food	2.12.6.2	GPI Signal Flow	2.3.5.3
Stowage	2.12.6.2.2	GTA Switch	2.3.7.3.4
Use	2.12.6.2.1	Guidance and Control	2.1
Forward Compartment	1.3.2.1	Attitude Control	2.1.3
Forward Heat Shield (Apex Cover)	2.9.2.7	Attitude Reference	2.1.2
Forward Tunnel Hatch	2.13.3.6	Guidance and Control Systems Interface	2.1.1
Fuel Cell Loading	2.6.3.3.2	Thrust and Thrust Vector Control	2.1.4
Fuel Cell Power Plants	2.6.3.3 2.6.5.1	Guidance and Control Systems Interface	2.1.1
Fuel Tank	2.5.6.2.2	Guidance and Navigation Station Restrains	2.12.3.2.3
Functional Description	2.11.4.1	Guidance and Navigation System	2.2
Caution and Warning System	2.10.2	Functional Description	2.2.2
Command Module Uprighting System	2.11.4.1	Introduction	2.2.1
Crew Personal Equipment	2.13.2	Major Component Subsystem Description	2.2.3
Electrical Power System	2.6.2	Computer Subsystem	2.2.3.2
Environmental Control System	2.7.2	Command Module Computer	2.2.3.2.1
Guidance and Navigation System	2.2.2	Display and Keyboard	2.2.3.2.2
Sequential Systems	2.9.3	Inertial Subsystem	2.2.3.1
Service Propulsion System	2.4.1	Coupling Data Unit	2.2.3.1.2
SM RCS Electrical Power Distribution	2.5.3.3	Navigation Base	2.2.3.1.1
Telecommunication System	2.8.2		
FUNCTION Switch	2.3.7.3.2		
Functional Switching Concept	2.3.2.3		

SM2A-03-BLOCK II-(1)
APOLLO OPERATIONS HANDBOOK

Title	Para No.	Title	Para No.
Power and Servo Assembly	2.2.3.1.4	Heat Exchangers	2.4.2.1.6
Optical Subsystem	2.2.3.3	Heel Restraints	2.12.3.1.4
Coupling Data Unit	2.2.3.3.2	Helium Check Valve Assembly	2.5.6.1.4
Optics	2.2.3.3.1	Helium Isolation (Squib-Operated Valve)	2.5.6.1.2
Operational Modes	2.2.4	Helium Isolation Valve	2.5.2.1.2
Attitude Error Display Mode.	2.2.4.7	Helium Pressure Regulator Assembly	2.5.6.1.3
IMU Cage Mode	2.2.4.4	Helium Pressure Relief Valves.	2.4.2.1.5
IMU Coarse Align	2.2.4.5	Helium Pressurizing Valves.	2.4.2.1.2
IMU Fine Align.	2.2.4.6	Helium Relief Valve	2.5.6.1.5
IMU Turn-On Mode	2.2.4.3	Helium Supply Tank	2.5.2.1.1
Inertial Reference Mode.	2.2.4.8		2.4.2.1.1
Manual Mode Operation	2.2.4.10	Helium Tanks	2.4.2.1.1
Computer Mode Operation	2.2.4.10.5		
Manual Direct Operation	2.2.4.10.1	I	
Manual Resolved Operation	2.2.4.10.3	IMU Cage Mode	2.2.4.4
Optics - Computer Mark Logic	2.2.4.10.4	IMU Coarse Align	2.2.4.5
Slave Telescope Modes.	2.2.4.10.2	IMU Fine Align	2.2.4.6
S-IVB Takeover	2.2.4.1	IMU Turn-On Mode	2.2.4.3
Thrust Vector Control	2.2.4.2	Induced Current Protection	2.9.5.5
Zero Optics Mode.	2.2.4.9	Inertial Measurement Unit	2.2.3.1.2
■ Power Distribution.	2.2.5	Inertial Reference Mode	2.2.4.8
Gyro Assembly - 1 (GA-1)	2.3.4.2.1	Inertial Subsystem	2.2.3.1
Gyro Assembly - 2 (GA-2)	2.3.4.2.2	Injector	2.5.2.3.2
Gyro Display Coupler (GDC).	2.3.3.1		2.5.6.3.2
H		Injector Prevalves	2.4.2.3.2
Hand Bar	2.12.3.1.3	Instrumentation Equipment Group	2.8.3.3.1
Handholds	2.12.3.1.2	Integral Lighting System	2.6.7.2
Hand Straps	2.12.3.2.1	Intercommunication System Interfaces	2.8.3.2
Hardware Function (ACS)	2.3.4.2	Intercommunications Equipment	2.8.2.1
Hasselblad Electric	2.12.5.3.2		2.8.3.1
Hatches		Internal Sighting Aids	1.3.2.7.3
Forward Access	1.3.2.6.2	Inverters	2.6.3.4
Side Access.	1.3.2.6.1	J	
Headrest Pad	2.12.5.4.9	Jettisoning the SM	2.9.4.13.2
Headset, Lightweight.	2.12.2.1.6		

SM2A-03-BLOCK II-(1)
APOLLO OPERATIONS HANDBOOK

Title	Para No.	Title	Para No.
K		Major Component/Subsystem	
Kits, Pilot's Preference	2.12.5.4.2	Description	2.2.3 2.4.2 2.6.3 2.8.3 2.10.3
L		Manual Control	2.3.4.4.3
Launch Escape Assembly	1.3.1	Manual Direct Operation	2.2.4.10.1
Launch Escape Motor	2.9.5.8	Manual Mode Operation	2.2.4.10
Launch Escape Tower		Manual Resolved Operation	2.2.4.10.3
Assembly	2.9.2.1	Manual Thrust Vector Control	2.3.5.5
Tower Jettison	2.9.4.7.4	MDC Glareshades	2.14.4.1.8
Physically Attached	2.9.4.7.1	Mechanical Controls, CM	1.3.26
Launch Vehicle and Booster		Medical	
Configuration	1.2	Accessories Kit	2.12.7.2
Saturn V Launch Vehicle	1.2.1	Equipment	1.3.2.7.7
First Stage S-IC Booster	1.2.1.1	Supplies and Equipment	2.12.7
Second Stage S-II		MESC Auto Abort Voting	
Booster	1.2.1.2	Logic	2.9.4.7
Third Stage S-IVB		MESC, ELSC, LDEC, and	
Booster	1.2.1.3	PCVB Locations	2.9.1.2
Launch Vehicle Status	2.9.4.5.2	Meter Covers	2.12.4.1.11
Launch Vehicle Tank Pressure		Miscellaneous Equipment	2.12.5.4
Monitor	2.9.4.5.4	Miscellaneous Systems Data	2.11
LES Abort Mode		Accelerometer (G-Meter)	2.11.3
Switchover	2.9.4.14.6	Command Module Uprighting	
LES Abort Start	2.9.4.14.2	System	2.11.4
LES Igniter	2.9.5.10	Functional Description	2.11.4.1
LET Frangible Nuts	2.9.5.12.1	Introduction	2.11.1
Life Support, Crew	1.3.2.7.6	Timers	2.11.2
Lift-Off	2.9.4.4	Mirrors Internal Viewing	2.12.4.1.2
Line, Snagging	2.12.9.4	Mission Operational Aids	1.3.2.7.5
Liquid Cooled Garment	2.12.2.3.1	MODE Switch	2.3.7.3.1
LM		Monocular	2.12.4.1.6
Docking Ring Separation	2.9.4.12	N	
Pilot's Flight Data File	2.12.5.1.1	Navigation Base	2.2.3.1.1
Pressure Dump Valve	2.13.3.8.3	Normal Ascent	2.9.4.8
Tunnel Hatch	2.13.3.7	Normal Mission Functions	2.9.3.1
Tunnel Vent Valve	2.13.3.8.2	Nozzle Extension	
Locator Index	3.2	CM RCS	2.5.6.3.4
Logic Power	2.9.4.1		
Loose Equipment Stowage	1.3.2.3.3		
LSSC Location	2.9.1.5		
M			
Main Bus Tie	2.9.4.13.7		
Main Parachute Release	2.9.4.2.3		

SM2A-03-BLOCK II-(1)
APOLLO OPERATIONS HANDBOOK

Title	Para No.	Title	Para No.
Pressurization Subsystem	2.4.2.1 2.5.2.1 2.5.6.1	R	
Primary and Secondary Fuel Tanks	2.5.2.2.2	Radiation Monitoring and Measuring Equipment	2.12.8
Primary and Secondary Oxidizer Tanks	2.5.2.2.1	Radiation Monitoring Equipment	1.3.2.7.8
Probe Body - Extension Latch Assembly	2.13.3.3.4	Radiation Survey Meter	2.12.8.3
Probe Head - Capture Latches	2.13.3.3.5	Radio Frequency Equipment	2.8.2.3
Probe Passive Tension Tie	2.9.2.2	Ratchet Assembly	2.13.3.3.6
Probe Pressure System	2.13.4.1.3	RC SC Location	2.9.1.4
Probe Umbilicals	2.13.3.3.8	RCS Electrical Heaters	2.5.2.3.5
Propellant, In-Line Filters	2.5.2.2.5	Reaction Control Subsystem Interface	2.3.4.3
Propellant Isolation Shutoff Valve	2.5.2.2.3 2.5.6.2.4	Reaction Control System (RCS)	2.5
Propellant Jettison	2.5.6.4	CM RCS Functional Description	2.5.5
Propellant Solenoid Injector Control Valves (Fuel and Oxidizer)	2.5.2.3.1 2.5.6.3.1	CM RCS Major Components/ Subsystems Description	2.5.6
Propellant Subsystem	2.4.2.2 2.5.2.2 2.5.6.2	Engine Assembly	2.5.6.3
Propellant Tanks	2.4.2.2.1	Engine Solenoid Injector Temperature-Control System	2.5.6.3.5
Propellant Utilization and Gauging Subsystem (PUGS)	2.4.2.9	Engine Thrust ON-OFF Logic	2.5.6.3.6
Propellant Utilization Valve	2.4.2.9.3	Injector	2.5.6.3.2
Protection Panels	1.3.2.3.2	Nozzle Extension	2.5.6.3.4
Premodulation Processor Equipment	2.8.3.4.5	Propellant Jettison	2.5.6.4
Pulse-Code Modulation Telemetry (PCM TLM) Equipment	2.8.3.3.6	Propellant Solenoid Injector Control Valves (Fuel and Oxidizer)	2.5.6.3.1
Pump, Sea Water	2.12.9.5	Thrust Chamber Assembly	2.5.6.3.3
Pyro Arm Switch Lock	2.9.5.6	Pressurization Subsystem	2.5.6.1
Pyro Cutout	2.9.4.13.5	Distribution Plumbing	2.5.6.1.6
Pyro Power	2.9.4.2	Helium Check Valve Assembly	2.5.6.1.4
Q		Helium Isolation (Squib-Operated) Valve	2.5.6.1.2
Quantity Computing and Indicating System Test	2.4.2.9.2	Helium Pressure Regulator Assembly	2.5.6.1.3
Quantity Sensing, Computing, and Indicating System	2.4.2.9.1	Helium Relief Valve	2.5.6.1.5

SM2A-03-BLOCK II-(1)
APOLLO OPERATIONS HANDBOOK

Title	Para No.	Title	Para No.
Helium Supply		Helium Isolation	
Tank	2.5.6.1.1	Valve	2.5.2.1.2
Propellant Subsystem	2.5.6.2	Helium Supply	
Diaphragm Burst		Tank	2.5.2.1.1
Isolation Valve	2.5.6.2.3	Pressure Regulator	
Distribution		Assemblies	2.5.2.1.3
Plumbing	2.5.6.2.5	Pressure Relief	
Fuel Tank	2.5.6.2.2	Valves	2.5.2.1.5
Oxidizer Tank	2.5.6.2.1	Secondary Propellant	
Propellant Isolation		Fuel Pressure	
Shutoff Valves	2.5.6.2.4	Isolation Valve	2.5.2.1.7
CM RCS Operation Limitations		Propellant Subsystem	2.5.2.2
and Restrictions	2.5.8	Distribution	
CM RCS Performance and		Plumbing	2.5.2.2.4
Design Data	2.5.7	Primary and Secondary	
CM RCS Electrical Power		Fuel Tanks	2.5.2.2.2
Distribution	2.5.7.3	Primary and Secondary	
Design Data	2.5.7.1	Oxidizer Tanks	2.5.2.2.1
Performance Data	2.5.7.2	Propellant, In-Line	
SM RCS Functional		Filters	2.5.2.2.5
Description	2.5.1	Propellant Isolation	
SM RCS Major Component/		Shutoff Valve	2.5.2.2.3
Subsystem Description	2.5.2	SM RCS Operational	
Engine Assemblies	2.5.2.3	Limitations and	
Combustion		Restrictions	2.5.4
Chamber	2.5.2.3.3	SM RCS Performance and	
Injector	2.5.2.3.2	Design Data	2.5.3
Nozzle Extension	2.5.2.3.4	Design Data	2.5.3.1
Propellant Solenoid		Performance Data	2.5.3.2
Injector Control Valves		SM RCS Electrical Power	
(Fuel and		Distribution	2.5.3.3
Oxidizer)	2.5.2.3.1	Reaction Jet Engine Control	
RCS Electrical		(RJ/EC)	2.3.4.2.6
Heaters	2.5.2.3.5	Recovery Beacon	2.12.9.3
Engine Thrusting Logic	2.5.2.5	Reefing Line Cutters	2.9.5.14
Pressure Versus		Reefing System	2.9.2.10
Temperature Measuring		Release of Main	
System	2.5.2.4	Parachutes	2.9.4.13.16
Pressurization		Rendezvous Beacon	2.12.4.2.3
Subsystem	2.5.2.1	Restraints	
Check Valve		Crew Station	1.3.2.7.2
Assemblies	2.5.2.1.4		
Distribution			
Plumbing	2.5.2.1.6		

SM2A-03-BLOCK II-(1)
APOLLO OPERATIONS HANDBOOK

Title	Para No.	Title	Para No.
"g" Load	2.12.3.1	Design Criteria.	2.9.2.11
Zero.	2.12.3.2	Docking Probe	
Retraction System	2.13.3.3.7	Retraction	2.9.2.3
RF Electronics Equipment		ELS Equipment.	2.9.2.8
Group	2.8.3.4	ELS Parachutes	2.9.2.9
Roll Attitude Indicator	2.3.7.1.2	Forward Heat Shield	
Roll Attitude Indicator		(Apex Cover)	2.9.2.7
Drive	2.3.7.5.6	Launch Escape Tower	
Rotation Control.	2.3.2.2.1	Assembly	2.9.2.1
Rotational Controllers (RC-1		Probe Passive Tension	
and RC-2)	2.3.4.2.3	Tie	2.9.2.2
Rucksack I	2.12.9.6.1	Reefing System.	2.9.2.10
Rucksack II	2.12.9.6.2	Separation of the CSM	
Running Lights	2.12.4.2.2	From the LV	2.9.2.5
		S-IVB/LM Separation	2.9.2.4
S		Functional Description.	2.9.3
S-Band High-Gain Antenna	2.8.3.5.2	Mode 1A Abort	2.9.3.2
S-Band Omnantennas.	2.8.3.5.3	Modes 1B and 1C Aborts.	2.9.3.3
S-Band Power Amplifier		Modes 2, 3, and 4	
Equipment.	2.8.3.4.4	Aborts	2.9.3.4
SCS Hardware	2.3.2.1	Normal Mission	
SCS Auto TVC	2.3.5.4	Functions.	2.9.3.1
Scroll Assembly	2.3.7.1.5	Introduction.	2.9.1
Scroll Assembly G Axis Drive		LSSC Location	2.9.1.5
Circuits	2.3.7.5.3	MESC, ELSC, LDEC, and	
Scroll Assembly Velocity Axis		PCVB Locations.	2.9.1.2
Drive Circuits	2.3.7.5.4	Origin of Signals	2.9.1.6
Secondary Propellant Fuel		RC SC Location	2.9.1.4
Pressure Isolation Valve	2.5.2.1.7	Sequential Events Control	
Separation of LM From S-IVB.	2.9.4.11	Subsystem	2.9.1.1
Separation of the CM From		SMJC Location	2.9.1.3
the SM	2.9.4.13.4	Performance and Design Data.	2.9.5
Separation of the CSM From		Apollo Standard Initiator.	2.9.5.1
the LV	2.9.2.5	Compliance With Design	
Separation of the Spacecraft		Requirements	2.9.5.2
From the Launch Vehicle	2.9.4.9	Component Selection and	
Separation System	2.9.5.12.3	Installation	2.9.5.3
Sequential Events Control		Detonators	2.9.5.12
Subsystem	2.9.1.1	CM-SM Separation	
Sequential Systems	2.9	System	2.9.5.12.4
Description, General	2.9.2	LET Frangible	
Circuit Concept.	2.9.2.12	Nuts.	2.9.5.12.1
CM-SM Separation and		LM Separation	
SM Jettison.	2.9.2.6	System	2.9.5.12.3
		SLA Separation	
		Ordnance System	2.9.5.12.2

SM2A-03-BLOCK II-(1)
APOLLO OPERATIONS HANDBOOK

Title	Para No.	Title	Para No.
Firing Circuit	2.9.5.4	Canard Deploy and	
Induced Current		ELSC Arm	2.9.4.14.4
Protection	2.9.5.5	ELSC Operation	2.9.4.14.5
Launch Escape Motor	2.9.5.8	LES Abort Mode	
Thrust of LEM.	2.9.5.8.1	Switchover	2.9.4.14.6
Thrust Rise Time of		LES Abort Start	2.9.4.14.2
LEM	2.9.5.8.3	Mode 1A Abort.	2.9.4.14.3
Thrust Vector Alignment		Mode 1B Aborts	2.9.4.14.7
of LEM	2.9.5.8.4	Mode 1C Abort.	2.9.4.14.8
Total Impulse of		SPS Abort.	2.9.4.14.9
LEM	2.9.5.8.2	Docking Probe	
Useful Life of LEM.	2.9.5.8.5	Retraction	2.9.4.10
LES Igniter	2.9.5.10	EDS Bus Changeover	2.9.4.3
Parachute Subsystem	2.9.5.15	Emergency Detection	
Pitch Control Motor.	2.9.5.9	System	2.9.4.5
Total Impulse of		Abort Request	
PCM	2.9.5.9.2	Light	2.9.4.5.3
Thrust Rise Time of		EDS Automatic Abort	
PCM	2.9.5.9.3	Activation and	
Thrust Vector Alignment		Deactivation	2.9.4.5.1
of PCM	2.9.5.9.4	Launch Vehicle	
Thrust of PCM	2.9.5.9.1	Status	2.9.4.5.2
Useful Life of PCM.	2.9.5.9.5	Launch Vehicle Tank	
Pressure Cartridge		Pressure Monitor.	2.9.4.5.4
Assemblies	2.9.5.13	Lift-Off	2.9.4.4
Canard Actuators	2.9.5.13.2	MESC Auto Abort Voting	
Electrical Circuit		Logic	2.9.4.7
Interrupters	2.9.5.13.1	Auto Abort Logic	2.9.4.7.2
Parachute		Launch Escape Tower	
Disconnect.	2.9.5.13.4	Physically	
Parachute Mortars.	2.9.5.13.3	Attached.	2.9.4.7.1
Pyro Arm Switch Lock	2.9.5.6	Normal Ascent	2.9.4.8
Reefing Line Cutters	2.9.5.14	Angle of Attack	
Squib Valves	2.9.5.11	Monitor	2.9.4.8.1
Tower Jettison Motor	2.9.5.7	EDS Automatic Abort	
Thrust of TJM.	2.9.5.7.1	Deactivate	2.9.4.8.2
Thrust Rise Time of		Extinguish LIFT OFF	
TJM	2.9.5.7.3	and NO AUTO ABORT	
Thrust Vector Alignment		Lights	2.9.4.8.3
of TJM	2.9.5.7.4	Launch Escape Tower	
Total Impulse of		Jettison	2.9.4.8.4
TJM	2.9.5.7.2	Pyro Power	2.9.4.2
Useful Life of TJM.	2.9.5.7.5	Arming Pyro Buses.	2.9.4.2.1
Operational Description	2.9.4	Main Parachute	
Aborts	2.9.4.14	Release	2.9.4.2.3
Abort Start	2.9.4.14.1	SIVB/LM	
		Separation	2.9.4.2.2

SM2A-03-BLOCK II-(1)
 APOLLO OPERATIONS HANDBOOK

Title	Para No.	Title	Para No.
Logic Power	2.9.4.1	Bipropellant Valve	
Separation of the Spacecraft		Assembly	2.4.2.3
From the Launch		Bipropellant Ball	
Vehicle	2.9.4.9	Valves	2.4.2.3.9
Enable Automated Control		Bipropellant Valve	
of the SM RCS	2.9.4.9.1	Assembly Check	
Separation of LM From		Valves	2.4.2.3.10
S-IVB	2.9.4.11	Engine Propellant	
Activate ELSC	2.9.4.13.9	Lines	2.4.2.3.11
Apex Cover		Gaseous Nitrogen (GN ₂)	
Jettison	2.9.4.13.12	Pressure Vessels	2.4.2.3.1
Arm ELSC	2.9.4.13.8	GN ₂ Ball Valve	
Baro Switch Lock		Actuators	2.4.2.3.8
Up, 24,000 ft	2.9.4.13.10	GN ₂ Filters (CSM 108	
Burning of the CM RCS		and Subs)	2.4.2.3.3
Propellants	2.9.4.13.15	GN ₂ Orifices	2.4.2.3.6
CM RCS Interface	2.9.4.13.6	GN ₂ Pressure	
CM/SM Separation		Regulators	2.4.2.3.4
Control	2.9.4.13.1	GN ₂ Relief Valves	2.4.2.3.5
Deadfacing the CM-SM		GN ₂ Solenoid Control	
Umbilical	2.9.4.13.3	Valves	2.4.2.3.7
Deployment of Drogue		Injector Prevalves	2.4.2.3.2
Parachute	2.9.4.13.13	Engine Injector	2.4.2.4
Deployment of Main		Engine Thrust ON-OFF	
Parachute and Release		Control	2.4.2.10
of Drogues	2.9.4.13.14	Nozzle Extension	2.4.2.6
Disable CM		Pressurization	
RCS/SCS	2.9.4.13.11	Subsystem	2.4.2.1
Jettisoning of the		Check Valve	
SM	2.9.4.13.2	Assemblies	2.4.2.1.4
LM Docking Ring		Heat Exchangers	2.4.2.1.6
Separation	2.9.4.13.12	Helium Pressure	
Main Bus Tie	2.9.4.13.7	Relief Valves	2.4.2.1.5
Pyro Cutout	2.9.4.13.5	Helium Pressurizing	
Release of Main		Valves	2.4.2.1.2
Parachutes	2.9.4.13.16	Helium Tanks	2.4.2.1.1
Separation of the CM		Pressure Regulator	
From the SM	2.9.4.13.4	Assemblies	2.4.2.1.3
Service Module	1.3.3	Propellant Subsystem	2.4.2.2
Service Propulsion System (SPS)	2.4	Propellant Tanks	2.4.2.2.1
Functional Description	2.4.1	Tank Propellant Feed	
Major Component/Subsystem		Lines	2.4.2.2.2
Description	2.4.2	Propellant Utilization and	
Ablative Combustion		Gauging Subsystem	
Chamber	2.4.2.5	(PUGS)	2.4.2.9

SM2A-03-BLOCK II-(1)
 APOLLO OPERATIONS HANDBOOK

Title	Para No.	Title	Para No.
Quantity Computing and Indicating System Test	2.4.2.9.2	Spacecraft Atmosphere Control	2.7.2.1
Quantity Sensing, Computing, and Indicating System	2.4.2.9.1	Spacecraft Control Switching Interfaces	2.3.2.3.2
Propellant Utilization Valve	2.4.2.9.3	Spacecraft LM Adapter	1.3.4
SPS Electrical Heaters	2.4.2.7	Spacesuit	1.3.2.7.1
SPS Electrical Power Distribution	2.4.3.3	Spacesuit Assembly (Intravehicular).	2.12.2.1
Thrust Mount Assemblies	2.4.2.8	Spacesuit Related Equipment	2.12.12.2
Gimbal Actuator	2.4.2.8.1	Spacesuits	2.12.2
Operational Limitations and Restrictions	2.4.4	Spotmeter, Automatic	2.12.5.3.3
Performance and Design Data	2.4.3	Spotlight, Docking	2.12.4.2.1
Design Data	2.4.3.1	SPS Abort	2.9.4.14.9
Performance Data	2.4.3.2	SPS Electrical Heaters	2.4.2.7
Shades, Window	2.12.4.1.1	SPS Electrical Power Distribution	2.4.3.3
Shock Attenuators	2.13.3.3.3	SPS Thrust-On Indicator	2.3.7.2.1
Sighting and Illumination Aids	2.12.4	SPS Thrust-Off Command	2.3.7.2.3
Internal	2.12.4.1	Soft Hat, Communications	2.12.2.1.6
External	2.12.4.2	Squib Valves	2.9.5.11
■ S-IVB Takeover	2.2.4.1	Stabilization and Control System (SCS)	2.3
S-IVB/LM Separation	2.9.2.4	Attitude Control Subsystem (ACS)	2.3.4
	2.9.4.2.2	Attitude Configurations	2.3.4.4
Signal Conditioning Equipment (SCE)	2.8.3.3.5	Manual Control	2.3.4.4.3
SLA Separation Ordnance System	2.9.5.12.2	Hardware Function (ACS)	2.3.4.2
■ Slave Telescope Modes	2.2.4.10.2	Electronics Control Assembly (ECA)	2.3.4.2.5
Sleep Station Restraints	2.12.3.2.4	Gyro Assembly - 1 (GA-1)	2.3.4.2.1
Sleep Restraints Tiedown Ropes	2.12.3.2.10	Gyro Assembly - 2 (GA-2)	2.3.4.2.2
SMJC Location	2.9.1.3	Rotational Controllers (RC-1 and RC-2)	2.3.4.2.3
SM RCS		Reaction Jet Engine Control (RJ/EC)	2.3.4.2.6
Electrical Power Distribution	2.5.3.3	Translation Controller	2.3.4.2.4
Functional Description	2.5.1	Introduction	2.3.4.1
Major Component/Subsystem Description	2.5.2	Reaction Control Subsystem Interface	2.3.4.3
Operational Limitations and Restrictions	2.5.4		
Performance and Design Data	2.5.3		

SM2A-03-BLOCK II-(1)
 APOLLO OPERATIONS HANDBOOK

Title	Para No.	Title	Para No.
Automatic Coil		Corridor Verification	
Commands	2.3.4.3.2	Indicators	2.3.7.1.3
Direct Coil		Delta V/Range-To-Go	
Commands	2.3.4.3.3	Indicator	2.3.7.1.4
General	2.3.4.3.1	Roll Attitude	
Translation Control	2.3.4.5	Indicator	2.3.7.1.2
Attitude Reference Subsystem	2.3.3	Scroll Assembly	2.3.7.1.5
FDAI Display Sources	2.3.3.3	Threshold Indicator	
Total Attitude and Error		(.05G)	2.3.7.1.1
Display Sources	2.3.3.3.1	Entry Scroll	2.3.7.4
GDC Configurations	2.3.3.2	EMS Functional Data	
Gyro Display Coupler		Flow	2.3.7.5
(GDC)	2.3.3.1	Accelerometer	2.3.7.5.1
Controls, Sensors, and		$\Delta V/RANGE$ Display	
Displays	2.3.2	Circuits	2.3.7.5.5
Controls and Displays	2.3.2.2	Roll Attitude	
Attitude Set Control		Indicator	2.3.7.5.6
Panel (ASCP)	2.3.2.2.3	Scroll Assembly G Axis	
Flight Director Attitude		Drive Circuits	2.3.7.5.3
Indicator (FDAI)	2.3.2.2.5	Scroll Assembly	
Gimbal Position and		Velocity Axis Drive	
Fuel Pressure		Circuits	2.3.7.5.4
Indicator		Threshold and Corridor	
(GP/FPI)	2.3.2.2.4	Verification	
Rotation Control	2.3.2.2.1	Circuits	2.3.7.5.2
Translation		Thrust-Off	
Control	2.3.2.2.2	Function	2.3.7.5.7
Functional Switching		EMS Switches	2.3.7.3
Concept	2.3.2.3	$\Delta V/EMS$ SET	
Display Switching		Switch	2.3.7.3.3
Interfaces	2.3.2.3.1	FUNCTION	
Spacecraft Control		Switch	2.3.7.3.2
Switching		GTA Switch	2.3.7.3.4
Interfaces	2.3.2.3.2	MODE Switch	2.3.7.3.1
SCS Hardware	2.3.2.1	Introduction	2.3.1
Entry Monitor System	2.3.7	Power Distribution	2.3.6
Delta Velocity Functions	2.3.7.2	Thrust Vector Control (TVC)	2.3.5
Delta Velocity		Engine Ignition, Thrust	
Indicator	2.3.7.2.2	On-Off Logic	2.3.5.6
SPS Thrust-Off		GPI Signal Flow	2.3.5.3
Command	2.3.7.2.3	Introduction	2.3.5.1
SPS Thrust-On		Manual Thrust Vector	
Indicator	2.3.7.2.1	Control	2.3.5.5
Entry Functions	2.3.7.1	SCS Auto TVC	2.3.5.4

SM2A-03-BLOCK II-(1)
APOLLO OPERATIONS HANDBOOK

Title	Para No.	Title	Para No.
TVC Panel		Electrical Power	
Configurations	2.3.5.2	Distribution	2.8.3.6
Stowage and Internal		Intercommunication	
Configuration	1.3.2.7.10	Equipment	2.8.3.1
Stowage, Equipment	2.12.10	Audio Center	
Support Structure	2.13.3.3.1	Equipment	2.8.3.1.4
Survival Kit	2.12.9.6	Communications Cable	
Swimmer Umbilical and		(Electrical Umbilical	
Dye Marker	2.12.9.2	Assembly)	2.8.3.1.3
Swimmers Umbilical Cable	2.8.3.1.5	Personal Communications	
System Status Light Data	2.10.4.2	Assembly (Comm	
Systems Test Meter	2.6.6	Carrier)	2.8.3.1.1
		Swimmers Umbilical	
T		Cable	2.8.3.1.5
T-Adapter Cable	2.8.3.1.2	T-Adapter Cable	2.8.3.1.2
Tank Propellant Feed Lines	2.4.2.2.2	Intercommunication	
Tape Roll	2.12.5.4.6	System Interfaces	2.8.3.2
Telecommunications		Central Timing	
Switchguide	2.12.5.4.12	Equipment (CTE)	2.8.3.3.4
Telecommunication System	2.8	Data Equipment	
Introduction	2.8.1	Interfaces	2.8.3.3.3
Functional Description	2.8.2	Data Storage	
Antenna Equipment	2.8.2.4	Equipment	2.8.3.3.8
Data Equipment	2.8.2.2	Instrumentation	
Equipment	2.8.2.2.2	Equipment Group	2.8.3.3.1
General	2.8.2.2.1	Operational and Flight	
Intercommunications		Qualification	
Equipment	2.8.2.1	Instrumentation	2.8.3.3.2
Equipment	2.8.2.1.2	Pulse-Code Modulation	
General	2.8.2.1.1	Telemetry (PCM-TLM)	
Radio Frequency Equipment	2.8.2.3	Equipment	2.8.3.3.6
Equipment	2.8.2.3.2	Signal Conditioning	
General	2.8.2.3.1	Equipment (SCE)	2.8.3.3.5
Major Component/Subsystem		Television (TV)	
Description	2.8.3	Equipment	2.8.3.3.7
Antenna Equipment		Up-Data Link (UDL)	
Group	2.8.3.5	Equipment	2.8.3.3.9
S-Band High-Gain		RF Electronics Equipment	
Antenna	2.8.3.5.2	Group	2.8.3.4
S-Band		Digital Ranging Generator	
Omniantennas	2.8.3.5.3	(VHF Ranging)	2.8.3.4.2
VHF Omniantenna		Premodulation Processor	
Equipment	2.8.3.5.1	Equipment	2.8.3.4.5
VHF Recovery Antenna		Rendezvous Radar	
Equipment	2.8.3.5.4	Transponder	2.8.3.4.7
Data Equipment	2.8.3.3		

SM2A-03-BLOCK II-(1)
 APOLLO OPERATIONS HANDBOOK

Title	Para No.	Title	Para No.
S-Band Power Amplifier		Thrust Vector Control (TVC)	2.3.5
Equipment	2.8.3.4.4	Timer, Two-Speed	2.12.5.4.7
Unified S-Band		Timers	2.11.2
Equipment (USBE)	2.8.3.4.3	Total Attitude and Error Display	
VHF/AM Transmitter-Transmitter-Receiver		Sources	2.3.3.3.1
Equipment	2.8.3.4.1	Total Impulse of LEM	2.9.5.8.2
VHF Recovery Beacon		Total Impulse of PCM	2.9.5.9.2
Equipment	2.8.3.4.6	Total Impulse of TJM	2.9.5.7.2
Operational Limitations and Restrictions	2.8.4	Tower Jettison Motor	2.9.5.7
DSE	2.8.4.3	Translation Control	2.3.2.2.2
PMP	2.8.4.2		2.3.4.5
		Translation Controller	2.3.4.2.4
		Tunnel and LM	
USBE	2.8.4.4	Pressurization	2.13.3.8
VHF-AM	2.8.4.1	Tunnel Hatch Stow Bag	2.12.3.2.9
Telescope Sun Filters	2.12.4.1.10	Tunnel Lighting	2.6.7.4
Television (TV) Equipment	2.8.3.3.7	TVC Panel Configurations	2.3.5.2
Thermal Control	2.7.2.3		
Threshold and Corridor		U	
Verification Circuits	2.3.7.5.2	Unified S-Band Equipment	
Threshold Indicator (.05 G)	2.3.7.1.1	(USBE)	2.8.3.4.3
Thrust and Thrust Vector		Up-Data Link (UDL)	
Control	2.1.4	Equipment	2.8.3.3.9
Thrust Chamber Assembly	2.5.6.3.3	Urine Subsystem	2.12.6.3.2
Thrust Mount Assemblies	2.4.2.8	Urine Collection and Transfer	
Thrust-Off Function	2.3.7.5.7	Assembly	2.12.2.1.3
Thrust of LEM	2.9.5.8.1	USBE	2.8.4.4
Thrust of PCM	2.9.5.9.1	Useful Life of LEM	2.9.5.8.5
Thrust of TJM	2.9.5.7.1	Useful Life of PCM	2.9.5.9.5
Thrust Rise Time of LEM	2.9.5.8.3	Useful Life of TJM	2.9.5.7.5
Thrust Rise Time of PCM	2.9.5.9.3	Utility Towels	2.12.6.4.4
Thrust Rise Time of TJM	2.9.5.7.3		
Thrust Vector Alignment of		V	
LEM	2.9.5.8.4	Vacuum QD	2.12.6.3.5
Thrust Vector Alignment of		Van Allen Belt Dosimeter	2.12.8.4
PCM	2.9.5.9.4	Vehicle Umbilicals	2.13.3.5
Thrust Vector Alignment of		Velcro and Snaps Retainer	
TJM	2.9.5.7.4	Locations	2.12.3.2.8
Thrust Vector Control	2.2.4.2	VHF-AM	2.8.4.1
		VHF-AM Transmitter-Receiver	
		Equipment	2.8.3.4.1
		Voice Recorder, Cassettes,	
		and Battery Packs	2.12.5.4.11

SM2A-03-BLOCK II-(1)
APOLLO OPERATIONS HANDBOOK

Title	Para No.	Title	Para No.
VHF Omnantenna			
Equipment	2.8.3.5.1		
VHF Recovery Antenna			
Equipment	2.8.3.5.4		
VHF Recovery Beacon			
Equipment	2.8.3.4.6		

W

Waste Management System and			
Supplies	2.12.6.3		
Waste Stowage Vent System . .	2.12.6.3.4		
Water Crew	2.12.6.1		
Drinking	2.12.6.1.1		
Food Preparation	2.12.6.1.2		
Water-Glycol Coolant			
Subsystem	2.7.6		
Water Management	2.7.2.2		
Water Subsystem	2.7.5		
Wet Cleansing Cloth	2.12.6.4.2		
Windows and Shades	1.3.2.6.3		
Window Markings	2.12.4.1.5		

Z

Zero Optics Mode	2.2.4.8		
----------------------------	---------	--	--