

TABLE 8 OF SUBPART YYYY OF PART 63.—APPLICABILITY OF GENERAL PROVISIONS TO SUBPART YYYY—Continued

Citation	Subject	Applies to subpart YYYY	Explanation
§ 63.5(b)(1)	Requirements upon construction or reconstruction.	Yes.	
§ 63.5(b)(2)	[Reserved].		
§ 63.5(b)(3)	Approval of construction	Yes.	
§ 63.5(b)(4)	Notification of construction	Yes.	
§ 63.5(b)(5)	Compliance	Yes.	
§ 63.5(b)(6)	Addition of equipment	Yes.	
§ 63.5(c)	[Reserved].		
§ 63.5(d)	Application for construction reconstruction	Yes.	
§ 63.5(e)	Approval of construction or reconstruction	Yes.	
§ 63.5(f)	Approval of construction or reconstruction based on prior State review.	Yes.	
§ 63.6(a)	Applicability	Yes.	
§ 63.6(b)(1)–(2)	Compliance dates for new and reconstructed sources.	Yes.	
§ 63.6(b)(3)	Compliance dates for sources constructed or reconstructed before effective date.	No	Compliance is required by startup or effective date.
§ 63.6(b)(4)	Compliance dates for sources also subject to § 112(f) standards.	Yes.	
§ 63.6(b)(5)	Notification	Yes.	
§ 63.6(b)(6)	[Reserved].		
§ 63.6(b)(7)	Compliance dates for new and reconstructed area sources that become major.	Yes.	
§ 63.6(c)(1)–(2)	Compliance dates for existing sources	Yes.	
§ 63.6(c)(3)–(4)	[Reserved].		
§ 63.6(c)(5)	Compliance dates for existing area sources that become major.	Yes.	
§ 63.6(d)	[Reserved].		
§ 63.6(e)(1)–(2)	Operation and maintenance	Yes	Except that you are not required to have a startup, shutdown, and malfunction plan (SSMP).
§ 63.6(e)(3)	SSMP	No.	
§ 63.6(f)(1)	Applicability of standards except during startup, shutdown, or malfunction (SSM).	Yes.	
§ 63.6(f)(2)	Methods for determining compliance	Yes.	
§ 63.6(f)(3)	Finding of compliance	Yes.	
§ 63.6(g)(1)–(3)	Use of alternative standard	Yes.	
§ 63.6(h)	Opacity and visible emission standards	No	Subpart YYYY does not contain opacity or visible emission standards.
§ 63.6(i)	Compliance extension procedures and criteria	Yes.	
§ 63.6(j)	Presidential compliance exemption	Yes.	