

operator training and annual reporting. (Deviation reports are required if any of the emission limitations or operating limits are exceeded).

To minimize the burden of the annual performance testing, the standards only require that the owner or operator test for PM, HCl, and opacity. Annual performance testing is not required for dioxins/furans, cadmium, carbon monoxide, lead, mercury, nitrogen oxides, and sulfur dioxide. This significantly reduces the testing costs while still providing the EPA with sufficient data to adequately assess compliance. In addition, the standards allow the owner or operator to skip two annual tests for a pollutant if all performance tests over the previous three years show compliance with the emission limit. Reports must be submitted semiannually and annually.

Burden Statement: In the previously approved ICR, the estimated number of respondents for this information collection was 1 with 18 responses per year. The annual industry reporting and recordkeeping burden for this collection of information was 11,209 hours. The annual public reporting and recordkeeping burden for this collection of information is estimated to average 623 hours per response.

The annual capital/startup costs per year were approximately \$14,000 and there were no annualized operation and maintenance costs.

(5) NSPS for Ammonium Sulfate Manufacture (40 CFR part 60, subpart PP); EPA ICR Number 1066.04; OMB Control Number 2060-0032; expiration date January 31, 2004.

Affected Entities: Entities potentially affected by this action applies to ammonium sulfate dryer within an ammonium sulfate manufacturing plant in the caprolactam, synthetic and coke oven by-products sectors of the ammonium sulfate manufacturing industry.

Abstract: NSPS for Ammonium Sulfate Manufacture (40 CFR part 60, subpart PP), was promulgated on November 12, 1980. All affected facilities in this subpart must make the following one-time-only reports: Notification of the date of construction or reconstruction; notification of the anticipated and actual dates of startup; notification of any physical or operational change to an existing facility which may increase the regulated pollutant emission rate; and the notification of the date of the initial performance test.

The recordkeeping requirements for ammonium sulfate plants consist of the occurrence and duration of all startups and malfunctions, the initial

performance tests results, amount of ammonium sulfate feed material, and the pressure drop across the emission control system. Records of startups, shutdowns and malfunctions shall be noted as they occur. Records of the performance test should include information necessary to determine the conditions of the performance test, and performance test measurements (including pressure drop across the emission control system) and results. The continuous emission monitors (CEMS) shall record pressure drop across the scrubbers continuously and automatically. The reporting requirements for this industry include initial notifications, and initial performance tests.

Burden Statement: In the previously approved ICR, the estimated number of respondents for this information collection was 2 with 2 responses per year. The annual industry reporting and recordkeeping burden for this collection of information was 182 hours. On the average, each respondent reported one time per year and 91 hours were spent preparing each response. There were no capital/startup costs or operation and maintenance costs associated with the previous ICR.

(6) NESHAP for Phosphoric Acid Manufacturing Plants and Phosphate Fertilizers Production Plants (40 CFR part 63, subparts AA and BB); EPA ICR Number 1790.03; OMB Control Number 2060-0361; expiration date January 31, 2004.

Affected Entities: Entities potentially affected by this action are phosphoric acid manufacturing and phosphate fertilizer production plants.

Abstract: The NESHAP for Phosphoric Acid Manufacturing Plants and Phosphate Fertilizers Production Plants (40 CFR part 63, subparts AA and BB) was promulgated on December 29, 1992, and amended on December 17, 2001.

All affected facilities must submit one-time notifications (where applicable) and a one-time report on performance test results. Plants must develop and implement a startup, shutdown, and malfunction plan and submit semiannual reports of any event where the plan was not followed.

Semiannual reports for periods of operation during which the monitoring parameter boundaries established during the initial compliance test are exceeded (or reports certifying that no exceedances have occurred) also are required. General requirements applicable to all NESHAP require records of applicability determinations; test results; exceedances; periods of startups; shutdowns; or malfunctions;

monitoring records; and all other information needed to determine compliance with the applicable standards. Records and reports must be retained for a total of 5 years (2 years at the site; the remaining 3 years of records may be retained off-site).

Subparts AA and BB require respondents to install monitoring devices to measure the pressure drop and liquid flow rate for wet scrubbers. These operating parameters are permitted to vary within ranges determined concurrently with performance tests. Exceedances of the operating ranges are considered violations of the emission limits. The requirements include an option which allows sources to retest and demonstrate that the operating parameter exceedances are not exceedances of the emissions limit.

The standards require sources to determine and record the amount of phosphatic feed material processed or stored on a daily basis. This requirement allows verification of plant operating rate which is one of the factors considered in establishing the operating ranges of control devices. This requirement poses no additional burden upon the industry. This is so because proper plant operation and industry practice include daily recording of phosphate-bearing feed processed. Because the daily recordkeeping requirement places no additional burden upon sources, no cost estimate has been made for this requirement. Respondents also maintain records of specific information needed to determine that the standards are being achieved and maintained.

Since many of the facilities potentially affected by the standards are currently subject to a similar new source performance standard (NSPS), these standards include an exemption from the NSPS for those sources. That exemption eliminates duplication of information collection requirements.

Burden Statement: In the previously approved ICR, the estimated number of respondents was 15 with 193 responses per year. The annual industry reporting and recordkeeping burden for this collection of information was 4,143 hours. The annual public reporting and recordkeeping burden for this collection of information is estimated to average 21 hours per response.

The annual reporting and recordkeeping cost burden was \$66,000 of which the capital/startup costs were \$53,000 and the operation and maintenance costs were \$13,000.

(7) Emission Guidelines for Commercial and Industrial Solid Waste Incineration Units (40 CFR part 60,