

to pressing) are not considered laminated products under this subpart.

**Manufacturer's formulation data** means data on a material (such as a coating) that are supplied by the material manufacturer based on knowledge of the ingredients used to manufacture that material, rather than based on testing of the material with the test methods specified in § 63.4741. Manufacturer's formulation data may include, but are not limited to, information on density, organic HAP content, volatile organic matter content, and coating solids content.

**Mass fraction of organic HAP** means the ratio of the mass of organic HAP to the mass of a material in which it is contained, expressed as grams of organic HAP per gram of material.

**Millwork** means lumber that has been remanufactured into a wood building product or component such as door, window, and staircase part(s), or decorative trim.

**Month** means a calendar month or a pre-specified period of 28 days to 35 days to allow for flexibility in recordkeeping when data are based on a business accounting period.

**Organic HAP content** means the mass of organic HAP per volume of coating solids for a coating calculated using Equation 2 of § 63.4741. The organic HAP content is determined for the coating in the condition it is in when received from its manufacturer or supplier and does not account for any alteration after receipt.

**Permanent total enclosure (PTE)** means a permanently installed enclosure that meets the criteria of Method 204 of appendix M, 40 CFR part 51, for a PTE and that directs all the exhaust gases from the enclosure to an add-on control device.

**Protective oil** means an organic material that is applied to metal for the purpose of providing lubrication or protection from corrosion without forming a solid film. This definition of protective oil includes, but is not limited to, lubricating oils, evaporative oils (including those that evaporate completely), and extrusion oils.

**Research or laboratory facility** means a facility whose primary purpose is for research and development of new processes and products, that is conducted under the close supervision of technically trained personnel, and is not engaged in the manufacture of final or intermediate products for commercial purposes, except in a de minimis manner.

**Responsible official** means responsible official as defined in 40 CFR 70.2.

**Startup, initial** means the first time equipment is brought online in a source.

**Surface preparation** means use of a cleaning material on a portion of or all of a substrate. This includes use of a cleaning material to remove dried coating, which is sometimes called "depainting."

**Temporary total enclosure** means an enclosure constructed for the purpose of measuring the capture efficiency of pollutants emitted from a given source as defined in Method 204 of appendix M, 40 CFR part 51.

**Thinner** means an organic solvent that is added to a coating after the coating is received from the supplier.

**Tileboard** means hardboard that meets the specifications for Class I given by the standard ANSI/AHA A135.4-1995 as approved by the American National Standards Institute. The standard specifies requirements and test methods for water absorption, thickness swelling, modulus of rupture, tensile strength, surface finish, dimensions, squareness, edge straightness, and moisture content for five classes of hardboard. Tileboard is also known as Class I hardboard or tempered hardboard.

**Total volatile hydrocarbon (TVH)** means the total amount of nonaqueous volatile organic matter determined according to Methods 204 and 204A through 204F of appendix M to 40 CFR part 51 and substituting the term TVH each place in the methods where the term VOC is used. The TVH includes both VOC and non-VOC.

**Uncontrolled coating operation** means a coating operation from which none of the organic HAP emissions are routed through an emission capture system and add-on control device.

**Volatile organic compound (VOC)** means any compound defined as VOC in 40 CFR 51.100(s).

**Volume fraction of coating solids** means the ratio of the volume of coating solids (also known as volume of nonvolatiles) to the volume of coating; liters of coating solids per liter of coating.

**Wastewater** means water that is generated in a coating operation and is collected, stored, or treated prior to being discarded or discharged.

**Wood building product** means any product that contains more than 50 percent by weight wood or wood fiber, excluding the weight of any glass components, and is used in the

construction, either interior or exterior, of a residential, commercial, or institutional building.

## Tables to Subpart QQQQ of Part 63

TABLE 1 TO SUBPART QQQQ OF PART 63.—EMISSION LIMITS FOR NEW OR RECONSTRUCTED AFFECTED SOURCES

[You must comply with the emission limits that apply to your affected source in the following table as required by § 63.4690]

If the affected source applies coating to products in the following subcategory. . .	Then, the organic HAP emission limit for the affected source, in grams HAP/liter solids (lb HAP/gal solids) <sup>1,2</sup> is:
1. Exterior siding and primed doorskins.	0 (0.00)
2. Flooring . . . . .	0 (0.00)
3. Interior wall paneling or tileboard.	5 (0.04)
4. Other interior panels	0 (0.00)
5. Doors, windows, and miscellaneous.	57 (0.48)

<sup>1</sup> Determined as a rolling 12-month emission rate according to the requirements in § 63.4741, § 63.4751, or § 63.4761, as applicable.

<sup>2</sup> If the affected source applies coatings to products in more than one of the subcategories listed in the table, then you must determine the applicable emission limit according to § 63.4690(c).

TABLE 2 TO SUBPART QQQQ OF PART 63.—EMISSION LIMITS FOR EXISTING AFFECTED SOURCES

[You must comply with the emission limits that apply to your affected source in the following table as required by § 63.4690]

If the affected source applies coating to products in the following subcategory. . .	Then, the organic HAP emission limit for the affected source, in grams HAP/liter solids (lb HAP/gal solids) <sup>1,2</sup> is:
1. Exterior siding and primed doorskins.	7 (0.06)
2. Flooring . . . . .	93 (0.78)
3. Interior wall paneling or tileboard.	183 (1.53)
4. Other interior panels	20 (0.17)
5. Doors, windows, and miscellaneous.	231 (1.93)

<sup>1</sup> Determined as a rolling 12-month emission rate according to the requirements in § 63.4741, § 63.4751, or § 63.4761, as applicable.

<sup>2</sup> If the affected source applies coatings to products in more than one of the subcategories listed in the table, then you must determine the applicable emission limit according to § 63.4690(c).