

TABLE 2

Category of material (Hazard class of division number and additional description, as appropriate)	Placard name	Placard design section reference
* * * * *	* * * * *	*
6.1 (other than material poisonous by inhalation)	POISON	172.554
* * * * *	* * * * *	*

(f) * * *

(9) For Class 9, a CLASS 9 placard is not required for domestic transportation, including that portion of international transportation, defined in § 171.8 of this subchapter, which occurs within the United States. However, a bulk packaging must be marked with the appropriate identification number on a CLASS 9 placard, an orange panel, or a white square-on-point display configuration as required by subpart D of this part.

* * * * *

19. In § 172.514, paragraph (b) would be revised to read as follows:

§ 172.514 Bulk packagings.

* * * * *

(b) Each bulk packaging that is required to be placarded when it contains a hazardous material, must remain placarded when it is emptied, unless it—

(1) Is sufficiently cleaned of residue and purged of vapors to remove any potential hazard;

(2) Is refilled, with a material requiring different placards or no placards, to such an extent that any residue remaining in the packaging is no longer hazardous; or

(3) Contains the residue of a hazardous substance in Class 9 in a quantity less than the reportable quantity, and conforms to § 173.29(b)(1) of this subchapter.

* * * * *

20. In § 172.519, paragraphs (a)(3) and (d)(3) would be revised to read as follows:

§ 172.519 General specification for placards.

(a) * * *

(3) Reflective or retroreflective materials may be used on a placard if the prescribed colors, strength and durability are maintained. Retroreflective white and red Type V sheeting conforming to ASTM D 4956—

95, Standard Specification for Retroreflective Sheeting for Traffic Control (incorporated by reference; see § 171.7 of this subchapter) may be used, as appropriate, for red and white colors on a placard.

* * * * *

(d) * * *

(3) Upon visual examination, a color on a placard must fall within the—

(i) Color tolerances displayed on the appropriate Hazardous Materials Label and Placard Color Tolerance Chart (see § 172.407(d)(4)); or

(ii) The Pantone® Color Formula Guide, as incorporated by reference in § 171.7 of this subchapter, as specified for colors in § 172.407(d)(5).

* * * * *

21. Section 172.540 would be revised to read as follows:

§ 172.540 Poison GAS placard.

(a) Except for size and color, the POISON GAS placard must be as follows: