

measures relating to the delivery of vessel stores and bunkers are implemented to:

- (1) Check vessel stores for package integrity;
- (2) Prevent vessel stores from being accepted without inspection;
- (3) Deter tampering;
- (4) For vessels that routinely use a facility, establish and execute standing arrangements between the vessel, its suppliers, and a facility regarding notification and the timing of deliveries and their documentation; and
- (5) Check vessel stores by the following means:
 - (i) Visual examination;
 - (ii) Physical examination;
 - (iii) Detection devices, such as scanners; or
 - (iv) Canines.

(b) *MARSEC Level 1.* At MARSEC Level 1, the facility owner or operator must ensure the implementation of measures to:

- (1) Screen vessel stores at the rate specified in the approved Facility Security Plan (FSP);
- (2) Require advance notification of vessel stores or bunkers delivery, including a list of stores, delivery vehicle driver information, and vehicle registration information;
- (3) Screen delivery vehicles at the frequencies specified in the approved FSP; and
- (4) Escort delivery vehicles within the facility at the rate specified by the approved FSP.

(c) *MARSEC Level 2.* In addition to the security measures required for MARSEC Level 1 in this section, at MARSEC Level 2, the facility owner or operator must also ensure the implementation of additional security measures, as specified for MARSEC Level 2 in the approved FSP. These additional security measures may include:

- (1) Detailed screening of vessel stores;
- (2) Detailed screening of all delivery vehicles;
- (3) Coordinating with vessel personnel to check the order against the delivery note prior to entry to the facility;
- (4) Ensuring delivery vehicles are escorted within the facility; or
- (5) Restricting or prohibiting the entry of vessel stores that will not leave the facility within a specified period.

(d) *MARSEC Level 3.* In addition to the security measures for MARSEC Level 1 and MARSEC Level 2, at MARSEC Level 3, the facility owner and operator must ensure implementation of additional security measures, as specified for MARSEC Level 3 in the approved FSP. Examples of these additional security measures may include:

- (1) Checking all vessel stores more extensively;
- (2) Restricting or suspending delivery of vessel stores; or
- (3) Refusing to accept vessel stores on the facility.

§ 105.275 Security measures for monitoring.

(a) *General.* The facility owner or operator must ensure the implementation of security measures in this section and have the capability to continuously monitor, through a combination of lighting, security guards, waterborne patrols, and automatic intrusion-detection devices, or surveillance equipment, as specified in the approved Facility Security Plan (FSP), the:

- (1) Facility and its approaches, on land and water;
- (2) Restricted areas within the facility; and
- (3) Vessels at the facility and areas surrounding the vessels.

(b) *MARSEC Level 1.* At MARSEC Level 1, the facility owner or operator must ensure the security measures in this section are implemented at all times, including the period from sunset to sunrise and periods of limited visibility. For each facility, ensure monitoring capability that:

- (1) When automatic intrusion-detection devices are used, activates an audible or visual alarm, or both, at a location that is continuously attended or monitored;
- (2) Is able to function continually, including consideration of the possible effects of weather or of a power disruption;
- (3) Monitors the facility area, including shore and waterside access to it;
- (4) Monitors access points, barriers and restricted areas;
- (5) Monitors access and movements adjacent to vessels using the facility, including augmentation of lighting provided by the vessel itself; and
- (6) Limits lighting effects, such as glare, and their impact on safety, navigation, and other security activities.

(c) *MARSEC Level 2.* In addition to the security measures for MARSEC Level 1 in this section, at MARSEC Level 2, the facility owner or operator must also ensure the implementation of additional security measures, as specified for MARSEC Level 2 in the approved FSP. These additional measures may include:

- (1) Increasing the coverage and intensity of surveillance equipment, including the provision of additional surveillance coverage;
- (2) Increasing the frequency of foot, vehicle or waterborne patrols;

- (3) Assigning additional security personnel to monitor and patrol; or
- (4) Increasing the coverage and intensity of lighting, including the provision of additional lighting and coverage.

(d) *MARSEC Level 3.* In addition to the security measures for MARSEC Level 1 and MARSEC Level 2, at MARSEC Level 3, the facility owner or operator must also ensure implementation of additional security measures, as specified for MARSEC Level 3 in the approved FSP. These additional security measures may include:

- (1) Switching on all lighting within, or illuminating the vicinity of, the facility;
- (2) Switching on all surveillance equipment capable of recording activities within or adjacent to the facility;
- (3) Maximizing the length of time such surveillance equipment can continue to record; or
- (4) Complying with the instructions issued by those responding to the security incident.

§ 105.280 Security incident procedures.

For each MARSEC Level, the facility owner or operator must ensure the Facility Security Officer and facility security personnel are able to:

- (a) Respond to security threats or breaches of security and maintain critical facility and vessel-to-facility interface operations;
- (b) Evacuate the facility in case of security threats or breaches of security;
- (c) Report security incidents as required in § 101.305 of this subchapter;
- (d) Brief all facility personnel on possible threats and the need for vigilance, soliciting their assistance in reporting suspicious persons, objects, or activities; and
- (e) Secure non-critical operations in order to focus response on critical operations.

§ 105.285 Additional requirements—passenger and ferry facilities.

(a) At MARSEC Level 1, the owner or operator of a passenger or ferry facility must ensure, in coordination with a vessel moored at the facility, that the following security measures are implemented in addition to the requirements of this part:

- (1) In a facility with no public access area designated under § 105.106, establish separate areas to segregate unchecked persons and personal effects from checked persons and personal effects;
- (2) Ensure that a defined percentage of vehicles to be loaded aboard are