

TABLE 5.—LIST OF DIAGNOSIS-RELATED GROUPS (DRGs), RELATIVE WEIGHTING FACTORS, AND GEOMETRIC AND ARITHMETIC MEAN LENGTH OF STAY (LOS)—Continued

DRG	MDC	Type	DRG title	Relative weights	Geometric mean LOS	Arithmetic mean LOS
194	07	SURG	BILIARY TRACT PROC EXCEPT ONLY CHOLECYST W OR W/O C.D.E. W/O CC.	1.6030	5.70	6.70
195	07	SURG	CHOLECYSTECTOMY W C.D.E. W CC	3.0613	8.70	10.60
196	07	SURG	CHOLECYSTECTOMY W C.D.E. W/O CC	1.6117	4.80	5.60
197	07	SURG	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE W/O C.D.E. W CC.	2.5547	7.50	9.20
198	07	SURG	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE W/O C.D.E. W/O CC.	1.1831	3.80	4.40
199	07	SURG	HEPATOBIILIARY DIAGNOSTIC PROCEDURE FOR MALIGNANCY	2.3953	7.00	9.80
200	07	SURG	HEPATOBIILIARY DIAGNOSTIC PROCEDURE FOR NON-MALIGNANCY.	3.0415	6.70	10.50
201	07	SURG	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES	3.6841	10.20	14.20
202	07	MED	CIRRHOSIS & ALCOHOLIC HEPATITIS	1.3120	4.80	6.40
203	07	MED	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS	1.3482	5.00	6.70
204	07	MED	DISORDERS OF PANCREAS EXCEPT MALIGNANCY	1.1675	4.40	5.80
205	07	MED	DISORDERS OF LIVER EXCEPT MALIG, CIRR, ALC HEPA W CC	1.2095	4.60	6.20
206	07	MED	DISORDERS OF LIVER EXCEPT MALIG, CIRR, ALC HEPA W/O CC ..	0.7071	2.90	3.80
207	07	MED	DISORDERS OF THE BILIARY TRACT W CC	1.1539	4.00	5.30
208	07	MED	DISORDERS OF THE BILIARY TRACT W/O CC	0.6601	2.30	2.90
209	08	SURG	MAJOR JOINT & LIMB REATTACHMENT PROCEDURES OF LOWER EXTREMITY.	2.0327	4.40	4.90
210	08	SURG	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT AGE >17 W CC.	1.8477	6.10	7.00
211	08	SURG	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT AGE >17 W/O CC.	1.2544	4.50	4.90
212	08	SURG	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT AGE 0-17	1.4152	3.20	6.40
213	08	SURG	AMPUTATION FOR MUSCULOSKELETAL SYSTEM & CONN TISSUE DISORDERS.	1.8904	6.70	9.20
214	08	SURG	NO LONGER VALID	0.0000	0.00	0.00
215	08	SURG	NO LONGER VALID	0.0000	0.00	0.00
216	08	SURG	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE.	2.1107	5.00	8.00
217	08	SURG	WND DEBRID & SKN GRFT EXCEPT HAND, FOR MUSCSKELET & CONN TISS DIS.	3.0020	9.00	13.40
218	08	SURG	LOWER EXTREM & HUMER PROC EXCEPT HIP, FOOT, FEMUR AGE >17 W CC.	1.5750	4.30	5.50
219	08	SURG	LOWER EXTREM & HUMER PROC EXCEPT HIP, FOOT, FEMUR AGE >17 W/O CC.	1.0258	2.70	3.20
220	08	SURG*	LOWER EXTREM & HUMER PROC EXCEPT HIP, FOOT, FEMUR AGE 0-17.	0.5881	5.30	5.30
221	08	SURG	NO LONGER VALID	0.0000	0.00	0.00
222	08	SURG	NO LONGER VALID	0.0000	0.00	0.00
223	08	SURG	MAJOR SHOULDER/ELBOW PROC, OR OTHER UPPER EXTREMITY PROC W CC.	1.0573	2.20	3.00
224	08	SURG	SHOULDER, ELBOW OR FOREARM PROC, EXC MAJOR JOINT PROC, W/O CC.	0.7898	1.60	1.90
225	08	SURG	FOOT PROCEDURES	1.1704	3.60	5.30
226	08	SURG	SOFT TISSUE PROCEDURES W CC	1.5529	4.50	6.60
227	08	SURG	SOFT TISSUE PROCEDURES W/O CC	0.8190	2.10	2.60
228	08	SURG	MAJOR THUMB OR JOINT PROC, OR OTH HAND OR WRIST PROC W CC.	1.1639	2.70	4.20
229	08	SURG	HAND OR WRIST PROC, EXCEPT MAJOR JOINT PROC, W/O CC	0.7064	1.80	2.30
230	08	SURG	LOCAL EXCISION & REMOVAL OF INT FIX DEVICES OF HIP & FEMUR.	1.3147	3.60	5.60
231	08	SURG	NO LONGER VALID	0.0000	0.00	0.00
232	08	SURG	ARTHROSCOPY	0.9674	1.80	2.70
233	08	SURG	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROC W CC	2.0024	5.00	7.40
234	08	SURG	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROC W/O CC ..	1.1977	2.20	3.10
235	08	MED	FRACTURES OF FEMUR	0.7580	3.80	4.90
236	08	MED	FRACTURES OF HIP & PELVIS	0.7358	3.90	4.80
237	08	MED	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH	0.5983	2.90	3.70
238	08	MED	OSTEOMYELITIS	1.3564	6.50	8.70
239	08	MED	PATHOLOGICAL FRACTURES & MUSCULOSKELETAL & CONN TISS MALIGNANCY.	1.0614	5.10	6.40
240	08	MED	CONNECTIVE TISSUE DISORDERS W CC	1.3153	4.90	6.70
241	08	MED	CONNECTIVE TISSUE DISORDERS W/O CC	0.6358	3.00	3.80

* Medicare data have been supplemented by data from 19 States for low volume DRGs.

** DRGs 469 and 470 contain cases that could be assigned to valid DRGs.

Note 1: Geometric mean is used only to determine payment for transfer cases.

Note 2: Arithmetic mean is presented for informational purposes only.

Note 3: Relative weights are based on Medicare patient data and may not be appropriate for other patients.