

ADDENDUM B.—RELATIVE VALUE UNITS (RVUS) AND RELATED INFORMATION—Continued

¹ CPT/ ² HCPSC	MOD	Status	Description	Physician work RVUs	Non- facility PE RVUs	Facility PE RVUs	Mal- practice RVUs	Non- facility total	Facility total	Global
G0031	26	A	PET imaging prev PET multple.	1.87	0.74	0.74	0.06	2.67	2.67	XXX
G0031	TC	C	PET imaging prev PET multple.	0.00	0.00	0.00	0.00	0.00	0.00	XXX
G0032	C	PET follow SPECT 78464 singl.	0.00	0.00	0.00	0.00	0.00	0.00	XXX
G0032	26	A	PET follow SPECT 78464 singl.	1.50	0.56	0.56	0.05	2.11	2.11	XXX
G0032	TC	C	PET follow SPECT 78464 singl.	0.00	0.00	0.00	0.00	0.00	0.00	XXX
G0033	C	PET follow SPECT 78464 mult.	0.00	0.00	0.00	0.00	0.00	0.00	XXX
G0033	26	A	PET follow SPECT 78464 mult.	1.87	0.75	0.75	0.06	2.68	2.68	XXX
G0033	TC	C	PET follow SPECT 78464 mult.	0.00	0.00	0.00	0.00	0.00	0.00	XXX
G0034	C	PET follow SPECT 76865 singl.	0.00	0.00	0.00	0.00	0.00	0.00	XXX
G0034	26	A	PET follow SPECT 76865 singl.	1.50	0.58	0.58	0.05	2.13	2.13	XXX
G0034	TC	C	PET follow SPECT 76865 singl.	0.00	0.00	0.00	0.00	0.00	0.00	XXX
G0035	C	PET follow SPECT 78465 mult.	0.00	0.00	0.00	0.00	0.00	0.00	XXX
G0035	26	A	PET follow SPECT 78465 mult.	1.87	0.74	0.74	0.06	2.67	2.67	XXX
G0035	TC	C	PET follow SPECT 78465 mult.	0.00	0.00	0.00	0.00	0.00	0.00	XXX
G0036	C	PET follow cornry angio sing.	0.00	0.00	0.00	0.00	0.00	0.00	XXX
G0036	26	A	PET follow cornry angio sing.	1.50	0.58	0.58	0.04	2.12	2.12	XXX
G0036	TC	C	PET follow cornry angio sing.	0.00	0.00	0.00	0.00	0.00	0.00	XXX
G0037	C	PET follow cornry angio mult.	0.00	0.00	0.00	0.00	0.00	0.00	XXX
G0037	26	A	PET follow cornry angio mult.	1.87	0.73	0.73	0.06	2.66	2.66	XXX
G0037	TC	C	PET follow cornry angio mult.	0.00	0.00	0.00	0.00	0.00	0.00	XXX
G0038	C	PET follow myocard perf sing.	0.00	0.00	0.00	0.00	0.00	0.00	XXX
G0038	26	A	PET follow myocard perf sing.	1.50	0.54	0.54	0.04	2.08	2.08	XXX
G0038	TC	C	PET follow myocard perf sing.	0.00	0.00	0.00	0.00	0.00	0.00	XXX
G0039	C	PET follow myocard perf mult.	0.00	0.00	0.00	0.00	0.00	0.00	XXX
G0039	26	A	PET follow myocard perf mult.	1.87	0.73	0.73	0.07	2.67	2.67	XXX
G0039	TC	C	PET follow myocard perf mult.	0.00	0.00	0.00	0.00	0.00	0.00	XXX
G0040	C	PET follow stress echo singl.	0.00	0.00	0.00	0.00	0.00	0.00	XXX
G0040	26	A	PET follow stress echo singl.	1.50	0.61	0.61	0.04	2.15	2.15	XXX
G0040	TC	C	PET follow stress echo singl.	0.00	0.00	0.00	0.00	0.00	0.00	XXX
G0041	C	PET follow stress echo mult.	0.00	0.00	0.00	0.00	0.00	0.00	XXX
G0041	26	A	PET follow stress echo mult.	1.87	0.75	0.75	0.05	2.67	2.67	XXX
G0041	TC	C	PET follow stress echo mult.	0.00	0.00	0.00	0.00	0.00	0.00	XXX
G0042	C	PET follow ventriculogm sing.	0.00	0.00	0.00	0.00	0.00	0.00	XXX

¹ CPT codes and descriptions only are copyright American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.² Copyright American Dental Association. All rights reserved.