

(iv) *Appeals.* A certified observer who receives an IAD that suspends or revokes his or her observer certification may appeal pursuant to paragraph (f)(4) of this section.

(4) *Appeals.* (i) Decisions on appeals of initial administrative decisions denying certification to, or suspending, or decertifying, an observer, will be made by the Regional Administrator (or designated official).

(ii) Appeals decisions shall be in writing and shall state the reasons therefor.

(iii) An appeal must be filed with the Regional Administrator within 30 days of the initial administrative decision denying, suspending, or revoking the observer's certification.

(iv) The appeal must be in writing, and must allege facts or circumstances to show why the certification should be granted, or should not be suspended or revoked, under the criteria in this section.

(v) Absent good cause for further delay, the Regional Administrator (or designated official) will issue a written decision on the appeal within 45 days of receipt of the appeal. The Regional Administrator's decision is the final

administrative decision of the Department as of the date of the decision.

(g) * * *

(1) * * *

(iii) *Minimum work space aboard at-sea processing vessels.* The observer must have a working area of 4.5 square meters, including the observer's sampling table, for sampling and storage of fish to be sampled. The observer must be able to stand upright and have a work area at least 0.9 m deep in the area in front of the table and scale.

(iv) *Table aboard at-sea processing vessels.* The observer sampling station must include a table at least 0.6 m deep, 1.2 m wide and 0.9 m high and no more than 1.1 m high. The entire surface area of the table must be available for use by the observer. Any area for the observer sampling scale is in addition to the minimum space requirements for the table. The observer's sampling table must be secured to the floor or wall.

(v) *Diverter board aboard at-sea processing vessels.* The conveyor belt conveying unsorted catch must have a removable board (diverter board) to allow all fish to be diverted from the belt directly into the observer's

sampling baskets. The diverter board must be located downstream of the scale used to weigh total catch. At least 1 m of accessible belt space, located downstream of the scale used to weight total catch, must be available for the observer's use when sampling.

(vi) *Other requirement for at-sea processing vessels.* The sampling station must be in a well-drained area that includes floor grating (or other material that prevents slipping), lighting adequate for day or night sampling, and a hose that supplies fresh or sea water to the observer.

(vii) *Observer sampling scale.* The observer sample station must include a NMFS-approved platform scale (pursuant to requirements at 50 CFR 679.28(d)(5) with a capacity of at least 50 kg located within 1 m of the observer's sampling table. The scale must be mounted so that the weighing surface is no more than 0.7 m above the floor.

* * * * *

[FR Doc. 03-22570 Filed 9-9-03; 8:45 am]

BILLING CODE 3510-22-S