

# Proposed Rules

Federal Register

Vol. 68, No. 194

Tuesday, October 7, 2003

This section of the FEDERAL REGISTER contains notices to the public of the proposed issuance of rules and regulations. The purpose of these notices is to give interested persons an opportunity to participate in the rule making prior to the adoption of the final rules.

## NUCLEAR REGULATORY COMMISSION

### 10 CFR Part 72

RIN 3150-AH27

#### List of Approved Spent Fuel Storage Casks: Standardized NUHOMS®-24P, -52B, -61BT, -32PT, and -24PHB Revision

**AGENCY:** Nuclear Regulatory Commission.

**ACTION:** Proposed rule.

**SUMMARY:** The Nuclear Regulatory Commission (NRC) is proposing to amend its regulations revising the Transnuclear, Inc., Standardized NUHOMS® Horizontal Modular Storage System (Standardized NUHOMS® System) listing within the "List of approved spent fuel storage casks" to include Amendment No. 6 in Certificate of Compliance Number 1004. Amendment No. 6 would add the NUHOMS®-24PHB cask design to the Standardized NUHOMS® System. The NUHOMS®-24PHB cask design would permit a Part 72 licensee to store high burnup Babcock & Wilcox 15x15 spent fuel assemblies with an average burnup of up to 55,000 megawatt-days/metric ton of uranium, enrichment equal to 4.5 weight percent uranium-235, a maximum decay heat load of 1.3 kilowatt (kW) per assembly, and a maximum heat load of 24 kW per cask, under a general license.

**DATES:** Comments on the proposed rule must be received on or before November 6, 2003.

**ADDRESSES:** You may submit comments by any one of the following methods. Please include the following number (RIN 3150-AH27) in the subject line of your comments. Comments on rulemakings submitted in writing or in electronic form will be made available to the public in their entirety on the NRC rulemaking website. Personal information will not be removed from your comments.

Mail comments to: Secretary, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, ATTN: Rulemakings and Adjudications Staff.

E-mail comments to: [SECY@nrc.gov](mailto:SECY@nrc.gov). If you do not receive a reply e-mail confirming that we have received your comments, contact us directly at (301) 415-1966. You may also submit comments via the NRC's rulemaking Web site at <http://ruleforum.llnl.gov>. Address questions about our rulemaking Web site to Carol Gallagher (301) 415-5905; e-mail [cag@nrc.gov](mailto:cag@nrc.gov).

Hand deliver comments to: 11555 Rockville Pike, Rockville, Maryland 20852, between 7:30 am and 4:15 pm Federal workdays [telephone (301) 415-1966].

Fax comments to: Secretary, U.S. Nuclear Regulatory Commission at (301) 415-1101.

Publicly available documents related to this rulemaking may be viewed electronically on public computers located at the NRC's Public Document Room (PDR), Public File Area O-1F21, One White Flint North, 11555 Rockville Pike, Rockville, Maryland. The PDR reproduction contractor will copy documents for a fee. Selected documents, including comments, can be viewed and downloaded electronically via the NRC rulemaking Web site at <http://ruleforum.llnl.gov>.

Publicly available documents created or received at the NRC after November 1, 1999, are available electronically at the NRC's Electronic Reading Room at <http://www.nrc.gov/NRC/ADAMS/index.html>. From this site, the public can gain entry into the NRC's Agencywide Document Access and Management System (ADAMS), which provides text and image files of NRC's public documents. If you do not have access to ADAMS or if there are problems in accessing the documents located in ADAMS, contact the NRC PDR Reference staff at 1-800-397-4209, 301-415-4737, or by e-mail to [pdr@nrc.gov](mailto:pdr@nrc.gov). An electronic copy of the proposed Certificate of Compliance (CoC) and preliminary safety evaluation report (SER) can be found under ADAMS Accession Nos. ML031980369 and ML031980374.

**FOR FURTHER INFORMATION CONTACT:** Margaret Stambaugh, telephone (301) 415-5449, e-mail, [mxs8@nrc.gov](mailto:mxs8@nrc.gov) of the Office of Nuclear Material Safety and Safeguards, U.S. Nuclear Regulatory

Commission, Washington, DC 20555-0001.

**SUPPLEMENTARY INFORMATION:** For additional information see the direct final rule published in the final rules section of this **Federal Register**.

### Procedural Background

This rule is limited to the changes contained in Amendment 6 to CoC No. 1004 and does not include other aspects of the Standardized NUHOMS® System. The NRC is using the "direct final rule procedure" to issue this amendment because it represents a limited and routine change to an existing CoC that is expected to be noncontroversial. Adequate protection of public health and safety continues to be ensured.

Because NRC considers this action noncontroversial and routine, the proposed rule is being published concurrently as a direct final rule. The direct final rule will become effective on December 22, 2003. However, if the NRC receives significant adverse comments by November 6, 2003, then the NRC will publish a document that withdraws this action and will address the comments received in response to the proposed amendments published elsewhere in this issue of the **Federal Register**. A significant adverse comment is a comment where the commenter explains why the rule would be inappropriate, including challenges to the rule's underlying premise or approach, or would be ineffective or unacceptable without a change. A comment is adverse and significant if:

(1) The comment opposes the rule and provides a reason sufficient to require a substantive response in a notice-and-comment process. For example, in a substantive response:

(a) The comment causes the NRC staff to reevaluate (or reconsider) its position or conduct additional analysis;

(b) The comment raises an issue serious enough to warrant a substantive response to clarify or complete the record; or

(c) The comment raises a relevant issue that was not previously addressed or considered by the NRC staff.

(2) The comment proposes a change or an addition to the rule, and it is apparent that the rule would be ineffective or unacceptable without incorporation of the change or addition.