

## ADDENDUM B.—RELATIVE VALUE UNITS (RVUS) AND RELATED INFORMATION—Continued

CPT1/ HCPCS2	MOD	Status	Description	Physician work RVUs3	Non-fac- ility PE RVUs	Facility PE RVUs	Mal- practice RVUs	Non-fac- ility Total	Facility total	Global
95869	....	A	Muscle test, thor paraspinal .....	0.37	0.38	NA	0.03	0.78	NA	XXX
95869	26	A	Muscle test, thor paraspinal .....	0.37	0.17	0.17	0.01	0.55	0.55	XXX
95869	TC	A	Muscle test, thor paraspinal .....	0.00	0.21	NA	0.02	0.23	NA	XXX
95870	....	A	Muscle test, nonparaspinal .....	0.37	0.37	NA	0.03	0.77	NA	XXX
95870	26	A	Muscle test, nonparaspinal .....	0.37	0.16	0.16	0.01	0.54	0.54	XXX
95870	TC	A	Muscle test, nonparaspinal .....	0.00	0.21	NA	0.02	0.23	NA	XXX
95872	....	A	Muscle test, one fiber .....	1.49	1.24	NA	0.10	2.83	NA	XXX
95872	26	A	Muscle test, one fiber .....	1.49	0.64	0.64	0.05	2.18	2.18	XXX
95872	TC	A	Muscle test, one fiber .....	0.00	0.60	NA	0.05	0.65	NA	XXX
95875	....	A	Limb exercise test .....	1.09	1.49	NA	0.11	2.69	NA	XXX
95875	26	A	Limb exercise test .....	1.09	0.48	0.48	0.05	1.62	1.62	XXX
95875	TC	A	Limb exercise test .....	0.00	1.01	NA	0.06	1.07	NA	XXX
95900	....	A	Motor nerve conduction test .....	0.42	1.30	NA	0.03	1.75	NA	XXX
95900	26	A	Motor nerve conduction test .....	0.42	0.19	0.19	0.01	0.62	0.62	XXX
95900	TC	A	Motor nerve conduction test .....	0.00	1.11	NA	0.02	1.13	NA	XXX
95903	....	A	Motor nerve conduction test .....	0.60	1.22	NA	0.04	1.86	NA	XXX
95903	26	A	Motor nerve conduction test .....	0.60	0.26	0.26	0.02	0.88	0.88	XXX
95903	TC	A	Motor nerve conduction test .....	0.00	0.96	NA	0.02	0.98	NA	XXX
95904	....	A	Sense nerve conduction test .....	0.34	1.12	NA	0.03	1.49	NA	XXX
95904	26	A	Sense nerve conduction test .....	0.34	0.15	0.15	0.01	0.50	0.50	XXX
95904	TC	A	Sense nerve conduction test .....	0.00	0.97	NA	0.02	0.99	NA	XXX
95920	....	A	Intraop nerve test add-on .....	2.10	2.23	NA	0.24	4.57	NA	ZZZ
95920	26	A	Intraop nerve test add-on .....	2.10	0.94	0.94	0.17	3.21	3.21	ZZZ
95920	TC	A	Intraop nerve test add-on .....	0.00	1.29	NA	0.07	1.36	NA	ZZZ
95921	....	A	Autonomic nerv function test .....	0.89	0.71	NA	0.06	1.66	NA	XXX
95921	26	A	Autonomic nerv function test .....	0.89	0.33	0.33	0.04	1.26	1.26	XXX
95921	TC	A	Autonomic nerv function test .....	0.00	0.38	NA	0.02	0.40	NA	XXX
95922	....	A	Autonomic nerv function test .....	0.95	0.79	NA	0.06	1.80	NA	XXX
95922	26	A	Autonomic nerv function test .....	0.95	0.41	0.41	0.04	1.40	1.40	XXX
95922	TC	A	Autonomic nerv function test .....	0.00	0.38	NA	0.02	0.40	NA	XXX
95923	....	A	Autonomic nerv function test .....	0.89	2.13	NA	0.06	3.08	NA	XXX
95923	26	A	Autonomic nerv function test .....	0.89	0.38	0.38	0.04	1.31	1.31	XXX
95923	TC	A	Autonomic nerv function test .....	0.00	1.75	NA	0.02	1.77	NA	XXX
95925	....	A	Somatosensory testing .....	0.54	1.13	NA	0.08	1.75	NA	XXX
95925	26	A	Somatosensory testing .....	0.54	0.23	0.23	0.02	0.79	0.79	XXX
95925	TC	A	Somatosensory testing .....	0.00	0.90	NA	0.06	0.96	NA	XXX
95926	....	A	Somatosensory testing .....	0.54	1.14	NA	0.08	1.76	NA	XXX
95926	26	A	Somatosensory testing .....	0.54	0.24	0.24	0.02	0.80	0.80	XXX
95926	TC	A	Somatosensory testing .....	0.00	0.90	NA	0.06	0.96	NA	XXX
95927	....	A	Somatosensory testing .....	0.54	1.15	NA	0.10	1.79	NA	XXX
95927	26	A	Somatosensory testing .....	0.54	0.25	0.25	0.04	0.83	0.83	XXX
95927	TC	A	Somatosensory testing .....	0.00	0.90	NA	0.06	0.96	NA	XXX
95930	....	A	Visual evoked potential test .....	0.35	1.45	NA	0.02	1.82	NA	XXX
95930	26	A	Visual evoked potential test .....	0.35	0.15	0.15	0.01	0.51	0.51	XXX
95930	TC	A	Visual evoked potential test .....	0.00	1.30	NA	0.01	1.31	NA	XXX
95933	....	A	Blink reflex test .....	0.59	1.02	NA	0.08	1.69	NA	XXX
95933	26	A	Blink reflex test .....	0.59	0.25	0.25	0.02	0.86	0.86	XXX
95933	TC	A	Blink reflex test .....	0.00	0.77	NA	0.06	0.83	NA	XXX
95934	....	A	H-reflex test .....	0.51	0.44	NA	0.04	0.99	NA	XXX
95934	26	A	H-reflex test .....	0.51	0.23	0.23	0.02	0.76	0.76	XXX
95934	TC	A	H-reflex test .....	0.00	0.21	NA	0.02	0.23	NA	XXX
95936	....	A	H-reflex test .....	0.55	0.45	NA	0.04	1.04	NA	XXX
95936	26	A	H-reflex test .....	0.55	0.24	0.24	0.02	0.81	0.81	XXX
95936	TC	A	H-reflex test .....	0.00	0.21	NA	0.02	0.23	NA	XXX
95937	....	A	Neuromuscular junction test .....	0.65	0.61	NA	0.04	1.30	NA	XXX
95937	26	A	Neuromuscular junction test .....	0.65	0.27	0.27	0.02	0.94	0.94	XXX
95937	TC	A	Neuromuscular junction test .....	0.00	0.34	NA	0.02	0.36	NA	XXX
95950	....	A	Ambulatory eeg monitoring .....	1.50	4.53	NA	0.53	6.56	NA	XXX
95950	26	A	Ambulatory eeg monitoring .....	1.50	0.64	0.64	0.10	2.24	2.24	XXX
95950	TC	A	Ambulatory eeg monitoring .....	0.00	3.89	NA	0.43	4.32	NA	XXX
95951	....	C	EEG monitoring/videorecord .....	0.00	0.00	NA	0.00	0.00	NA	XXX
95951	26	A	EEG monitoring/videorecord .....	5.97	2.59	2.59	0.24	8.80	8.80	XXX
95951	TC	C	EEG monitoring/videorecord .....	0.00	0.00	NA	0.00	0.00	NA	XXX
95953	....	A	EEG monitoring/computer .....	3.06	7.59	NA	0.55	11.20	NA	XXX
95953	26	A	EEG monitoring/computer .....	3.06	1.31	1.31	0.12	4.49	4.49	XXX
95953	TC	A	EEG monitoring/computer .....	0.00	6.28	NA	0.43	6.71	NA	XXX
95954	....	A	EEG monitoring/giving drugs .....	2.44	4.33	NA	0.18	6.95	NA	XXX
95954	26	A	EEG monitoring/giving drugs .....	2.44	1.05	1.05	0.12	3.61	3.61	XXX
95954	TC	A	EEG monitoring/giving drugs .....	0.00	3.28	NA	0.06	3.34	NA	XXX
95955	....	A	EEG during surgery .....	1.00	2.31	NA	0.23	3.54	NA	XXX
95955	26	A	EEG during surgery .....	1.00	0.37	0.37	0.06	1.43	1.43	XXX
95955	TC	A	EEG during surgery .....	0.00	1.94	NA	0.17	2.11	NA	XXX
95956	....	A	Eeg monitoring, cable/radio .....	3.06	14.32	NA	0.56	17.94	NA	XXX
95956	26	A	Eeg monitoring, cable/radio .....	3.06	1.32	1.32	0.13	4.51	4.51	XXX
95956	TC	A	Eeg monitoring, cable/radio .....	0.00	13.00	NA	0.43	13.43	NA	XXX

<sup>1</sup> CPT codes and descriptions only are copyright 2003 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.

<sup>2</sup> Copyright 2003 American Dental Association. All rights reserved.

<sup>3</sup> +Indicates RVUs are not used for Medicare payment.