

TABLE 9 TO SUBPART FFFF OF PART 63.—SOLUBLE HAZARDOUS AIR POLLUTANTS—Continued

Chemical name . . .	CAS No.
11. Isophorone .....	78591
12. Methanol .....	67561
13. Nitrobenzene .....	98953
14. Tolidine (o-) .....	95534
15. Triethylamine .....	121448

As required in § 63.2490, you must meet each requirement in the following table that applies to your heat exchange systems:

TABLE 10 TO SUBPART FFFF OF PART 63.—WORK PRACTICE STANDARDS FOR HEAT EXCHANGE SYSTEMS

For each . . .	You must . . .
Heat exchange system, as defined in § 63.101 .....	Comply with the requirements of § 63.104 and the requirements referenced therein, except as specified in § 63.2490.

As required in § 63.2520(a) and (b), you must submit each report that applies to you on the schedule shown in the following table:

TABLE 11 TO SUBPART FFFF OF PART 63.—REQUIREMENTS FOR REPORTS

You must submit a(n)	The report must contain . . .	You must submit the report . . .
1. Precompliance report .....	The information specified in § 63.2520(c).	At least 6 months prior to the compliance date; or for new sources, with the application for approval of construction or reconstruction.
2. Notification of compliance status report.	The information specified in § 63.2520(d).	No later than 150 days after the compliance date specified in § 63.2445.
3. Compliance report .....	The information specified in § 63.2520(e).	Semiannually according to the requirements in § 63.2520(b).

As specified in § 63.2540, the parts of the General Provisions that apply to you are shown in the following table:

TABLE 12 TO SUBPART FFFF OF PART 63.—APPLICABILITY OF GENERAL PROVISIONS TO SUBPART FFFF

Citation	Subject	Explanation
§ 63.1 .....	Applicability .....	Yes.
§ 63.2 .....	Definitions .....	Yes.
§ 63.3 .....	Units and Abbreviations .....	Yes.
§ 63.4 .....	Prohibited Activities .....	Yes.
§ 63.5 .....	Construction/Reconstruction .....	Yes.
§ 63.6(a) .....	Applicability .....	Yes.
§ 63.6(b)(1)–(4) .....	Compliance Dates for New and Reconstructed sources.	Yes.
§ 63.6(b)(5) .....	Notification .....	Yes.
§ 63.6(b)(6) .....	[Reserved].	
§ 63.6(b)(7) .....	Compliance Dates for New and Reconstructed Area Sources That Become Major.	Yes.
§ 63.6(c)(1)–(2) .....	Compliance Dates for Existing Sources .....	Yes.
§ 63.6(c)(3)–(4) .....	[Reserved].	
§ 63.6(c)(5) .....	Compliance Dates for Existing Area Sources That Become Major.	Yes.
§ 63.6(d) .....	[Reserved].	
§ 63.6(e)(1)–(2) .....	Operation & Maintenance .....	Yes.
§ 63.6(e)(3)(i), (ii), and (v) through (viii).	Startup, Shutdown, Malfunction Plan (SSMP) .....	Yes, except information regarding Group 2 emission points and equipment leaks is not required in the SSMP, as specified in § 63.2525(j).
§ 63.6(e)(3)(iii) and (iv) .....	Recordkeeping and Reporting During SSM .....	No, § 63.998(d)(3) and 63.998(c)(1)(ii)(D) through (G) specify the recordkeeping requirement for SSM events, and § 63.2520(e)(4) specifies reporting requirements.
§ 63.6(f)(1) .....	Compliance Except During SSM .....	Yes.
§ 63.6(f)(2)–(3) .....	Methods for Determining Compliance .....	Yes.
§ 63.6(g)(1)–(3) .....	Alternative Standard .....	Yes.