











Table 2

Identification and Illustration of Displays

Column 1	Column 2	Column 3	Column 4	Column 5
<i>Display</i>	<i>Telltale Color</i>	<i>Identifying Words or Abbreviation</i>	<i>Identifying Symbol</i>	<i>Illumination</i>
Turn Signal Telltale	Green	Also see FMVSS 108	 1,5	_____
Hazard Warning Telltale		Also see FMVSS 108	 2, 5	_____
Seat Belt Telltale	_____4	Fasten Belts or Fasten Seat Belts Also see FMVSS 208	 or 	_____
<u>Fuel Level</u> Telltale ----- Gauge	----- _____	Fuel	 or 	----- Yes
<u>Oil Pressure</u> Telltale ----- Gauge	----- _____	Oil		----- Yes
<u>Coolant Temperature</u> Telltale ----- Gauge	----- _____	Temp		----- Yes
<u>Electrical Charge</u> Telltale ----- Gauge	----- _____	Volts, Charge or Amp		----- Yes
Highbeam Telltale	Blue or Green 3	Also see FMVSS 108	 5	_____

1. The pair of arrows is a single symbol. When the indicator for left and right turn operate independently, however, the two arrows will be considered separate symbols and may be spaced accordingly.
2. Not required when arrows of turn signal tell-tales that otherwise operate independently flash simultaneously as hazard warning tell-tale.
3. Red can be red-orange. Blue can be blue-green.
4. The color of the telltale required by S4.5.3.3 of Standard No. 208 is red; the color of the telltale required by S7.3 of Standard No. 208 is not specified.
5. Framed areas may be filled.