

Engineering Documents, 15 Inverness Way East, Englewood, CO 80112 or at <http://global.ihs.com>; or American National Standards Institute, 25 West 43rd Street, 4th Floor, New York, NY 10036 or at <http://webstore.ansi.org/ansidocstore/default.asp>; or Society of Cable Telecommunications Engineers at <http://www.scte.org/standards/index.cfm>.

(1) SCTE 28 2003 (formerly DVS 295): "Host-POD Interface Standard," 2003, IBR approved for § 15.123.

(2) SCTE 41 2003 (formerly DVS 301): "POD Copy Protection System," 2003, IBR approved for § 15.123.

(3) ANSI/SCTE 54 2003 (formerly DVS 241): "Digital Video Service Multiplex and Transport System Standard for Cable Television," 2003, IBR approved for § 15.123.

(4) ANSI/SCTE 65 2002 (formerly DVS 234): "Service Information Delivered Out-of-Band for Digital Cable Television," 2002, IBR approved for § 15.123.

(5) SCTE 40 2003 (formerly DVS 313): "Digital Cable Network Interface Standard," 2003, IBR approved for § 15.123.

(6) ANSI C63.4-1992: "Methods of Measurement of Radio-Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the Range of 9 kHz to 40 GHz," 1992, IBR approved for § 15.31, except for sections 5.7, 9 and 14.

(7) EIA IS-132: "Cable Television Channel Identification Plan," 1994, IBR approved for § 15.118.

(8) EIA-608: "Recommended Practice for Line 21 Data Service," 1994, IBR approved for § 15.120.

(9) EIA-744: "Transport of Content Advisory Information Using Extended Data Service (XDS)," 1997, IBR approved for § 15.120.

(10) EIA-708-B: "Digital Television (DTV) Closed Captioning," 1999, IBR approved for § 15.122.

(11) Third Edition of the International Special Committee on Radio Interference (CISPR), Pub. 22, "Information Technology Equipment—Radio Disturbance Characteristics—Limits and Methods of Measurement," 1997, IBR approved for § 15.109.

(c) The following materials are freely available from at least one of the following addresses: Consumer Electronics Association, 2500 Wilson Blvd., Arlington, VA 22201 or at <http://www.ce.org/publicpolicy>; Uni-Dir-PICS-I01-030903: "Uni-Directional Receiving Device: Conformance Checklist: PICS Proforma," 2003, IBR approved for § 15.123.

■ 4. Add § 15.123 to subpart B to read as follows:

§ 15.123 Labeling of digital cable ready products.

(a) The requirements of this section shall apply to unidirectional digital cable products. Unidirectional digital cable products are one-way devices that accept a Point of Deployment module (POD) and which include, but are not limited to televisions, set-top-boxes and recording devices connected to digital cable systems. Unidirectional digital cable products do not include interactive two-way digital television products.

(b) A unidirectional digital cable product may not be labeled with or marketed using the term "digital cable ready," or other terminology that describes the device as "cable ready" or "cable compatible," or otherwise indicates that the device accepts a POD or conveys the impression that the device is compatible with digital cable service unless it implements at a minimum the following features:

(1) Tunes NTSC analog channels transmitted in-the-clear.

(2) Tunes digital channels that are transmitted in compliance with SCTE 40 2003 (formerly DVS 313): "Digital Cable Network Interface Standard" (incorporated by reference, *see* § 15.38), provided, however, that with respect to Table B.11 of that standard, the phase noise requirement shall be -86 dB/Hz including both in-the-clear channels and channels that are subject to conditional access.

(3) Allows navigation of channels based on channel information (virtual channel map and source names) provided through the cable system in compliance with ANSI/SCTE 65 2002 (formerly DVS 234): "Service Information Delivered Out-of-Band for Digital Cable Television" (incorporated by reference, *see* § 15.38), and/or PSIP-enabled navigation (ANSI/SCTE 54 2003 (formerly DVS 241): "Digital Video Service Multiplex and Transport System Standard for Cable Television" (incorporated by reference, *see* § 15.38)).

(4) Includes the POD-Host Interface specified in SCTE 28 2003 (formerly DVS 295): "Host-POD Interface Standard" (incorporated by reference, *see* § 15.38), and SCTE 41 2003 (formerly DVS 301): "POD Copy Protection System" (incorporated by reference, *see* § 15.38), or implementation of a more advanced POD-Host Interface based on successor standards. Support for Internet protocol flows is not required.

(5) Responds to emergency alerts that are transmitted in compliance with ANSI/SCTE 54 2003 (formerly DVS 241): "Digital Video Service Multiplex and Transport System Standard for

Cable Television" (incorporated by reference, *see* § 15.38).

(6) In addition to the requirements of paragraphs (b)(1) through (5) of this section, a unidirectional digital cable television may not be labeled or marketed as digital cable ready or with other terminology as described in paragraph (b) of this section, unless it includes a DTV broadcast tuner as set forth in § 15.117(i) and employs at least one specified interface in accordance with the following schedule:

(i) For 480p grade unidirectional digital cable televisions, either a DVI/HDCP, HDMI/HDCP, or 480p Y,Pb,Pr interface:

(A) Models with screen sizes 36 inches and above: 50% of a manufacturer's or importer's models manufactured or imported after July 1, 2004; 100% of such models manufactured or imported after July 1, 2005.

(B) Models with screen sizes 32 to 35 inches: 50% of a manufacturer's or importer's models manufactured or imported after July 1, 2005; 100% of such models manufactured or imported after July 1, 2006.

(ii) For 720p/1080i grade unidirectional digital cable televisions, either a DVI/HDCP or HDMI/HDCP interface:

(A) Models with screen sizes 36 inches and above: 50% of a manufacturer's or importer's models manufactured or imported after July 1, 2004; 100% of such models manufactured or imported after July 1, 2005.

(B) Models with screen sizes 25 to 35 inches: 50% of a manufacturer's or importer's models manufactured or imported after July 1, 2005; 100% of such models manufactured or imported after July 1, 2006.

(C) Models with screen sizes 13 to 24 inches: 100% of a manufacturer's or importer's models manufactured or imported after July 1, 2007.

(c) Before a manufacturer's or importer's first unidirectional digital cable product may be labeled or marketed as digital cable ready or with other terminology as described in paragraph (b) of this section, the manufacturer or importer shall verify the device as follows:

(1) The manufacturer or importer shall have a sample of its first model of a unidirectional digital cable product tested to show compliance with the procedures set forth in Uni-Dir-PICS-I01-030903: "Uni-Directional Receiving Device: Conformance Checklist: PICS Proforma" (incorporated by reference, *see* § 15.38) at a qualified test facility. The manufacturer or importer shall have