

PART 358—MISCELLANEOUS EXTERNAL DRUG PRODUCTS FOR OVER-THE-COUNTER HUMAN USE

■ 1. The authority citation for 21 CFR part 358 continues to read as follows:

Authority: 21 U.S.C. 321, 351, 352, 353, 355, 360, 371.

■ 2. Section 358.650 is revised to read as follows:

§ 358.650 Labeling of pediculicide drug products.

(a) *Statement of identity.* The labeling of the product contains the established name of the drug, if any, and identifies the product as a "lice treatment."

(b) *Indications.* The labeling of the product states, under the heading "Uses," the following: "treats head, pubic (crab), and body lice." Other truthful and nonmisleading statements, describing only the uses that have been established and listed in this paragraph (b), may also be used, as provided in § 330.1(c)(2) of this chapter, subject to the provisions of section 502 of the Federal Food, Drug, and Cosmetic Act (the act) relating to misbranding and the prohibition in section 301(d) of the act against the introduction or delivery for introduction into interstate commerce of unapproved new drugs in violation of section 505(a) of the act.

(c) *Warnings.* The labeling of the product contains the following warnings under the heading "Warnings":

(1) "For external use only" in accord with § 201.66(c)(5)(i) of this chapter.

(2) "Do not use [bullet]¹ near eyes [bullet] inside nose, mouth, or vagina [bullet] on lice in eyebrows or eyelashes. See a doctor if lice are present in these areas."

(3) "Ask a doctor before use if you are [bullet] allergic to ragweed. May cause breathing difficulty or an asthmatic attack."

(4) "When using this product [bullet] keep eyes tightly closed and protect eyes with a washcloth or towel [bullet] if product gets in eyes, flush with water right away [bullet] scalp itching or redness may occur".

(5) "Stop use and ask a doctor if [bullet] breathing difficulty occurs [bullet] eye irritation occurs [bullet] skin or scalp irritation continues or infection occurs".

(d) *Directions.* The labeling of the product contains the following information under the heading "Directions":

(1) The labeling states "[bullet] Important: Read warnings before use" [statement shall appear first and in bold type].

(2) The labeling states "adults and children 2 years and over:" [in bold type].

(3) For head lice treatment products "Inspect [in bold type] [bullet] check each household member with a magnifying glass in bright light for lice/nits (eggs) [bullet] look for tiny nits near scalp, beginning at back of neck and behind ears [bullet] examines small sections of hair at a time [bullet] unlike dandruff which moves when touched, nits stick to the hair [bullet] if either lice or nits are found, treat with this product".

(4) Select one of the following:

(i) *For shampoo products* "Treat [in bold type] [bullet] apply thoroughly to (optional, may add "dry") hair or other affected area. For head lice, first apply behind ears and to back of neck. [bullet] allow product to remain for 10 minutes, but no longer [bullet] use warm water to form a lather, shampoo, then thoroughly rinse [bullet] for head lice, towel dry hair and comb out tangles".

(ii) *For nonshampoo products* "Treat [in bold type] [bullet] apply thoroughly to (optional, may add "dry") hair or other affected area. For head lice, first apply behind ears and to back of neck. [bullet] allow product to remain for 10 minutes, but no longer [bullet] wash area thoroughly with warm water and soap or shampoo [bullet] for head lice, towel dry hair and comb out tangles".

(5) "Remove lice and their eggs (nits) [in bold type] [bullet] use a fine-tooth or special lice/nit comb. Remove any remaining nits by hand (using a throw-away glove). [bullet] hair should remain slightly damp while removing nits [bullet] if hair dries during combing, dampen slightly with water [bullet] for head lice, part hair into sections. Do one section at a time starting on top of head. Longer hair may take 1 to 2 hours. [bullet] lift a 1- to 2-inch wide strand of hair. Place comb as close to scalp as possible and comb with a firm, even motion away from scalp. [bullet] pin back each strand of hair after combing [bullet] clean comb often. Wipe nits away with tissue and discard in a plastic bag. Seal bag and discard to prevent lice from coming back. [bullet] after combing, thoroughly recheck for lice/nits. Repeat combing if necessary. [bullet] check daily for any lice/nits that you missed".

(6) The labeling states "[bullet] a second treatment must be done in 7 to 10 days to kill any newly hatched lice".

(7) The labeling states "[bullet] if infestation continues, see a doctor for other treatments".

(8) The labeling states "children under 2 years:" [in bold type] "ask a doctor".

(e) *Other information.* The labeling of the product contains the following statements, as appropriate, under the heading "Other information." This information may appear in a package insert. If a package insert is used, the "Other information" section on the outer carton or container label shall include a statement referring to the package insert for additional information.

(1) "Head lice [highlighted in bold type] [bullet] lay small white eggs (nits) on hair shaft close to scalp [bullet] nits are most easily found on back of neck or behind ears [bullet] disinfect hats, hair ribbons, scarves, coats, towels, and bed linens by machine washing in hot water (above 54 °C (130 °F)), then using hottest dryer cycle for at least 20 minutes [bullet] items that cannot be washed (bedspreads, blankets, pillows, stuffed toys, etc.) should be dry-cleaned or sealed in a plastic bag for 4 weeks, then removed outdoors and shaken out very hard before using again [bullet] items that cannot be washed, dry-cleaned, or stored may be sprayed with a product designed for this purpose [bullet] soak all combs and brushes in hot water (above 54 °C (130 °F)) for at least 10 minutes [bullet] vacuum all carpets, mattresses, upholstered furniture, and car seats that may have been used by affected people".

(2) "Pubic (crab) lice [highlighted in bold type] [bullet] may be transmitted by sexual contact. Sexual partners should be treated simultaneously to avoid reinfestation [bullet] lice are very small and look like brown or grey dots on skin [bullet] usually cause intense itching and lay small white eggs (nits) on the hair shaft generally close to the skin surface [bullet] may be present on the short hairs of groin, thighs, trunk, and underarms, and occasionally on the beard and mustache [bullet] disinfect underwear by machine washing in hot water (above 54 °C (130 °F)), then using hottest dryer cycle for at least 20 minutes".

(3) "Body lice [highlighted in bold type] [bullet] body lice and their eggs (nits) are generally found in the seams of clothing particularly in waistline and armpit area [bullet] body lice feed on skin then return to clothing to lay their eggs [bullet] disinfect clothing by machine washing in hot water (above 54 °C (130 °F)), then using hottest dryer cycle for at least 20 minutes [bullet] do not seal clothing in a plastic bag because nits can remain dormant for up to 30 days".

¹ See § 201.66(b)(4) of this chapter for definition of bullet symbol.