

TABLE I DIMENSIONS AND ABREVIATIONS

DIM. NO.	ID	T	BASIC VOLUME CU. IN.	APPROX WEIGHT LBS./100	DIM. NO.	ID	T	BASIC VOLUME CU. IN.	APPROX WEIGHT LBS./100
-001	.025-.033	.037-.043	.0003	.001	-040	2.849-2.879	.067-.073	.0355	.163
-002	.030-.046	.047-.053	.0006	.003	-041	2.974-3.004	.067-.073	.0370	.170
-003	.052-.060	.057-.063	.0010	.005	-042	3.244-3.254	.067-.073	.0400	.184
-004	.065-.075	.067-.073	.0017	.008	-043	3.474-3.504	.067-.073	.0430	.198
-005	.090-.106	.067-.073	.0021	.010	-044	3.734-3.754	.067-.073	.0460	.212
-006	.109-.139	.067-.073	.0023	.010	-045	3.974-4.004	.067-.073	.0491	.226
-007	.140-.150	.067-.073	.0026	.012	-046	4.234-4.254	.067-.073	.0521	.240
-008	.171-.181	.067-.073	.0030	.014	-047	4.474-4.504	.067-.073	.0551	.254
-009	.203-.213	.067-.073	.0034	.016	-048	4.734-4.754	.067-.073	.0582	.267
-010	.234-.244	.067-.073	.0037	.017	-049	4.964-5.012	.067-.073	.0612	.281
-011	.296-.306	.067-.073	.0045	.021	-050	5.216-5.262	.067-.073	.0642	.295
-012	.359-.369	.067-.073	.0052	.024	-106	.169-.179	.100-.106	.0073	.034
-013	.421-.431	.067-.073	.0064	.028	-107	.201-.211	.100-.106	.0081	.037
-014	.484-.494	.067-.073	.0075	.034	-108	.232-.242	.100-.106	.0089	.041
-015	.546-.556	.067-.073	.0087	.038	-109	.264-.264	.100-.106	.0105	.048
-016	.609-.619	.067-.073	.0099	.041	-110	.297-.297	.100-.106	.0122	.056
-017	.671-.681	.067-.073	.0099	.045	-111	.419-.429	.100-.106	.0138	.063
-018	.734-.744	.067-.073	.0105	.048	-112	.482-.492	.100-.106	.0154	.071
-019	.795-.807	.067-.073	.0113	.052	-113	.544-.554	.100-.106	.0171	.079
-020	.858-.870	.067-.073	.0120	.055	-114	.607-.617	.100-.106	.0187	.086
-021	.920-.932	.067-.073	.0128	.059	-115	.669-.697	.100-.106	.0203	.093
-022	.983-.995	.067-.073	.0136	.062	-116	.732-.742	.100-.106	.0220	.101
-023	1.045-1.057	.067-.073	.0143	.066	-117	.793-.805	.100-.106	.0236	.108
-024	1.108-1.120	.067-.073	.0151	.069	-118	.854-.866	.100-.106	.0253	.116
-025	1.170-1.182	.067-.073	.0158	.073	-119	.916-.930	.100-.106	.0269	.124
-026	1.233-1.245	.067-.073	.0164	.076	-120	.981-.993	.100-.106	.0285	.131
-027	1.295-1.307	.067-.073	.0173	.080	-121	1.043-1.055	.100-.106	.0302	.139
-028	1.358-1.370	.067-.073	.0180	.084	-122	1.106-1.118	.100-.106	.0318	.146
-029	1.421-1.433	.067-.073	.0189	.089	-123	1.169-1.180	.100-.106	.0334	.154
-030	1.484-1.496	.067-.073	.0199	.094	-124	1.231-1.243	.100-.106	.0351	.161
-031	1.547-1.559	.067-.073	.0204	.098	-125	1.293-1.305	.100-.106	.0367	.169
-032	1.610-1.622	.067-.073	.0214	.101	-126	1.354-1.366	.100-.106	.0383	.176
-033	1.673-1.685	.067-.073	.0224	.104	-127	1.416-1.430	.100-.106	.0400	.184
-034	1.736-1.748	.067-.073	.0234	.108	-128	1.481-1.493	.100-.106	.0416	.191
-035	1.799-1.811	.067-.073	.0244	.114	-129	1.539-1.559	.100-.106	.0432	.198
-036	2.104-2.124	.067-.073	.0264	.121	-130	1.602-1.642	.100-.106	.0449	.207
-037	2.229-2.249	.067-.073	.0279	.128	-131	1.664-1.684	.100-.106	.0465	.214
-038	2.354-2.374	.067-.073	.0294	.135	-132	1.727-1.747	.100-.106	.0482	.222
-039	2.479-2.499	.067-.073	.0309	.142					
-040	2.604-2.624	.067-.073	.0324	.149					
-041	2.724-2.754	.067-.073	.0340	.156					

✓ FOR REFERENCE PURPOSES ONLY

Ⓢ ENTIRE STANDARD REVISED

U.S. NAVY - AS ARMY - AV AIR FORCE - II	INTERNATIONAL INTEREST	TITLE PACKING, PREFORMED, 'D' RING	MILITARY STANDARD MS 9021
PROCUREMENT SPECIFICATION	SUPPLEMENT	PAGE 1 OF 5	

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.  
 This military standard is approved for use by all Departments and Agencies of the Department of Defense.  
 Selection for all new engineering and design applications and for repetitive use shall be made from this document when applicable.  
 PREP ACTIVITIES  
 REVISION ACTIVITIES  
 AIR FORCE - 99  
 DLA - IS

APPROVED 15 MAR 56 REVISED Ⓢ 25 JUL 86

TABLE : DASH NUMBERS AND DIMENSIONS - CONTINUED

DASH NO	ID	T	BASIC VOLUME CU. IN.	APPROX WEIGHT LBS./100	DASH NO	ID	T	BASIC VOLUME CU. IN.	APPROX WEIGHT LBS./100
-133	1.789-1.809	.100-.104	.0460	.236	-213	1.915-1.917	.135-.140	.0505	.252
-134	1.852-1.872	.100-.106	.0514	.236	-214	1.978-1.990	.135-.143	.0535	.241
-135	1.915-1.935	.100-.106	.0531	.244	-215	1.040-1.052	.135-.143	.0565	.260
-136	1.977-1.997	.100-.106	.0547	.252	-216	1.103-1.159	.135-.143	.0595	.274
-137	2.040-2.060	.100-.106	.0564	.259	-217	1.165-1.177	.135-.143	.0624	.287
-138	2.102-2.122	.100-.106	.0580	.267	-218	1.228-1.240	.135-.143	.0654	.301
-139	2.165-2.185	.100-.106	.0596	.274	-219	1.290-1.302	.135-.143	.0684	.315
-140	2.227-2.247	.100-.106	.0612	.282	-220	1.353-1.365	.135-.143	.0714	.328
-141	2.290-2.310	.100-.106	.0629	.289	-221	1.415-1.427	.135-.143	.0744	.342
-142	2.352-2.372	.100-.106	.0645	.297	-222	1.478-1.490	.135-.143	.0774	.356
-143	2.415-2.435	.100-.106	.0662	.304	-223	1.540-1.619	.135-.143	.0804	.369
-144	2.477-2.497	.100-.106	.0678	.312	-224	1.724-1.744	.135-.143	.0891	.401
-145	2.540-2.560	.100-.106	.0694	.319	-225	1.809-1.869	.135-.143	.0951	.438
-146	2.602-2.622	.100-.106	.0711	.327	-226	1.974-1.994	.135-.143	.1012	.469
-147	2.665-2.685	.100-.106	.0727	.334	-227	2.099-2.119	.135-.143	.1073	.491
-148	2.727-2.747	.100-.106	.0743	.342	-228	2.244-2.244	.135-.143	.1134	.522
-149	2.790-2.810	.100-.106	.0760	.350	-229	2.349-2.369	.135-.143	.1195	.544
-150	2.847-2.877	.100-.106	.0776	.357	-230	2.474-2.494	.135-.143	.1256	.575
-151	3.071-3.091	.100-.106	.0809	.370	-231	2.599-2.619	.135-.143	.1317	.607
-152	3.133-3.212	.100-.106	.0874	.407	-232	2.729-2.749	.135-.143	.1378	.638
-153	3.471-3.511	.100-.106	.0940	.431	-233	2.844-2.874	.135-.143	.1439	.670
-154	3.721-3.741	.100-.106	.1005	.446	-234	2.969-2.989	.135-.143	.1499	.701
-155	3.971-4.001	.100-.106	.1071	.493	-235	3.094-3.124	.135-.143	.1560	.733
-156	4.221-4.251	.100-.106	.1136	.523	-236	3.219-3.249	.135-.143	.1621	.764
-157	4.471-4.501	.100-.106	.1202	.553	-237	3.344-3.374	.135-.143	.1682	.796
-158	4.721-4.751	.100-.106	.1267	.583	-238	3.469-3.499	.135-.143	.1743	.827
-159	4.971-4.991	.100-.106	.1333	.613	-239	3.594-3.624	.135-.143	.1804	.859
-160	5.221-5.251	.100-.106	.1398	.643	-240	3.719-3.749	.135-.143	.1865	.890
-161	5.471-5.501	.100-.106	.1464	.673	-241	3.844-3.874	.135-.143	.1926	.922
-162	5.721-5.751	.100-.106	.1529	.703	-242	3.969-3.999	.135-.143	.1987	.953
-163	5.971-5.991	.100-.106	.1595	.733	-243	4.094-4.124	.135-.143	.2048	.985
-164	6.221-6.251	.100-.106	.1660	.763	-244	4.219-4.249	.135-.143	.2109	.1016
-165	6.471-6.501	.100-.106	.1726	.793	-245	4.344-4.374	.135-.143	.2170	.1047
-166	6.721-6.751	.100-.106	.1791	.823	-246	4.469-4.499	.135-.143	.2231	.1078
-167	6.971-7.001	.100-.106	.1857	.853	-247	4.594-4.624	.135-.143	.2292	.1109
-168	7.221-7.251	.100-.106	.1922	.883	-248	4.719-4.749	.135-.143	.2353	.1140
-169	7.471-7.501	.100-.106	.1988	.913	-249	4.844-4.874	.135-.143	.2414	.1171
-170	7.721-7.751	.100-.106	.2053	.943	-250	4.969-4.999	.135-.143	.2475	.1202
-171	7.971-8.001	.100-.106	.2119	.973	-251	5.094-5.124	.135-.143	.2536	.1233
-172	8.221-8.251	.100-.106	.2184	1.003	-252	5.219-5.249	.135-.143	.2597	.1264
-173	8.471-8.501	.100-.106	.2250	1.033	-253	5.344-5.382	.135-.143	.2658	.1295
-174	8.721-8.751	.100-.106	.2315	1.064	-254	5.469-5.507	.135-.143	.2719	.1326
-175	8.971-9.017	.100-.106	.2381	1.094	-255	5.594-5.632	.135-.143	.2780	.1357
-176	9.221-9.267	.100-.106	.2446	1.124	-256	5.719-5.757	.135-.143	.2841	.1388
-177	9.471-9.517	.100-.106	.2512	1.154	-257	5.844-5.882	.135-.143	.2902	.1419
-178	9.721-9.767	.100-.106	.2577	1.184	-258	5.969-6.007	.135-.143	.2963	.1450
-179					-259	6.094-6.257	.135-.143	.3024	.1481
-180					-260	6.462-6.507	.135-.143	.3157	.1512
-181	7.721-7.741	.135-.143	.0416	.181	-261	6.711-6.757	.135-.143	.3276	.1543
-182	7.791-7.821	.135-.143	.0446	.201	-262	6.842-7.007	.135-.143	.3396	.1574
-183	7.851-7.881	.135-.143	.0476	.221	-263	7.204-7.264	.135-.143	.3515	.1605

USER ACTIVITIES

REVERSE ACTIVITIES  
AIR FORCE - 99  
DLA - 15

This military standard is approved for use by all Departments and Agencies of the Department of Defense. It is intended for use in engineering and design applications and for repetitive use shall be made from this standard when applicable.

FOR REFERENCE PURPOSES ONLY

U.S. NAVY- AS ARMY - AV AIR FORCE - II	INTERNATIONAL INTEREST	TITLE	PACKING, PERFORMED, D' RING	MILITARY STANDARD
				MS9021
PROCUREMENT SPECIFICATION	SUPERSEDES			PAGE 2 OF 5

APPROVED 15 MAR '66 BY 101 FOR CHANGES SEE PAGES 1, 2, 3, 4 AND 5

TABLE 1 DASH NUMBERS AND DIMENSIONS - CONTINUED

DASH NO	ID	T	BASIC VOLUME CU. IN.	APPROX WEIGHT LBS/100	DASH NO	ID	T	BASIC VOLUME CU. IN.	APPROX WEIGHT LBS/100
-264	7.454- 7.514	.135-.143	.3634	1.672	-352	4.825- 4.865	.205-.215	.5515	2.537
-265	7.704- 7.764	.135-.143	.3753	1.726	-353	4.960- 4.990	.205-.215	.5652	2.600
-266	7.954- 8.014	.135-.143	.3872	1.781	-354	5.077- 5.123	.205-.215	.5788	2.662
-267	8.204- 8.264	.135-.143	.3992	1.836	-355	5.202- 5.248	.205-.215	.5924	2.725
-268	8.454- 8.514	.135-.143	.4111	1.891	-356	5.327- 5.373	.205-.215	.6060	2.788
-269	7.704- 8.764	.135-.143	.4230	1.946	-357	5.452- 5.498	.205-.215	.6197	2.851
-270	8.954- 9.014	.135-.143	.4349	2.000	-358	5.577- 5.623	.205-.215	.6333	2.913
-271	9.204- 9.264	.135-.143	.4468	2.055	-359	5.702- 5.748	.205-.215	.6469	2.976
-272	9.454- 9.514	.135-.143	.4588	2.110	-360	5.827- 5.873	.205-.215	.6605	3.038
-273	9.704- 9.764	.135-.143	.4707	2.165	-361	5.952- 5.998	.205-.215	.6742	3.101
-274	9.954-10.014	.135-.143	.4826	2.220	-362	6.202- 6.248	.205-.215	.7014	3.226
-275	10.454-10.514	.135-.143	.5064	2.329	-363	6.452- 6.498	.205-.215	.7287	3.352
-276	10.954-11.014	.135-.143	.5303	2.439	-364	6.702- 6.748	.205-.215	.7559	3.477
-277	11.454-11.514	.135-.143	.5541	2.544	-365	6.952- 6.998	.205-.215	.7832	3.603
-278	11.954-12.014	.135-.143	.5779	2.650	-366	7.195- 7.255	.205-.215	.8104	3.728
-279	12.454-13.014	.135-.143	.6256	2.878	-367	7.445- 7.505	.205-.215	.8379	3.854
-280	13.954-14.014	.135-.143	.6733	3.097	-368	7.695- 7.755	.205-.215	.8649	3.979
-281	14.454-15.014	.135-.143	.7210	3.317	-369	7.945- 8.005	.205-.215	.8922	4.104
-282	15.910-16.000	.135-.143	.7676	3.531	-370	8.195- 8.255	.205-.215	.9194	4.229
-283	16.910-17.000	.135-.143	.8155	3.751	-371	8.445- 8.505	.205-.215	.9467	4.355
-284	17.910-18.000	.135-.143	.8627	3.968	-372	8.695- 8.755	.205-.215	.9739	4.480
-325	1.465- 1.485	.205-.215	.1833	.843	-373	8.945- 9.005	.205-.215	1.0011	4.605
-326	1.590- 1.610	.205-.215	.1970	.906	-374	9.195- 9.255	.205-.215	1.0284	4.731
-327	1.715- 1.735	.205-.215	.2106	.969	-375	9.445- 9.505	.205-.215	1.0557	4.856
-328	1.840- 1.860	.205-.215	.2242	1.031	-376	9.695- 9.755	.205-.215	1.0829	4.981
-329	1.965- 1.985	.205-.215	.2378	1.094	-377	9.945-10.005	.205-.215	1.1102	5.107
-330	2.090- 2.110	.205-.215	.2514	1.156	-378	10.445-10.505	.205-.215	1.1647	5.358
-331	2.215- 2.235	.205-.215	.2650	1.219	-379	10.945-11.005	.205-.215	1.2192	5.608
-332	2.340- 2.360	.205-.215	.2786	1.282	-380	11.445-11.505	.205-.215	1.2737	5.859
-333	2.465- 2.485	.205-.215	.2922	1.344	-381	11.945-12.005	.205-.215	1.3282	6.110
-334	2.590- 2.610	.205-.215	.3058	1.407	-382	12.445-13.005	.205-.215	1.4372	6.611
-335	2.715- 2.740	.205-.215	.3194	1.469	-383	13.945-14.005	.205-.215	1.5462	7.113
-336	2.835- 2.865	.205-.215	.3330	1.532	-384	14.945-15.005	.205-.215	1.6552	7.614
-337	2.960- 2.990	.205-.215	.3466	1.594	-385	15.910-16.000	.205-.215	1.7620	8.105
-338	3.085- 3.115	.205-.215	.3602	1.657	-386	16.910-17.000	.205-.215	1.8710	8.607
-339	3.210- 3.240	.205-.215	.3738	1.719	-387	17.910-18.000	.205-.215	1.9800	9.108
-340	3.335- 3.365	.205-.215	.3874	1.782	-388	18.910-19.000	.205-.215	2.0890	9.609
-341	3.460- 3.490	.205-.215	.4010	1.845	-389	19.910-20.000	.205-.215	2.1980	10.111
-342	3.585- 3.615	.205-.215	.4146	1.907	-390	20.910-21.000	.205-.215	2.3070	10.612
-343	3.710- 3.740	.205-.215	.4282	1.970	-391	21.915-22.000	.205-.215	2.4160	11.114
-344	3.835- 3.865	.205-.215	.4418	2.032	-392	22.900-23.000	.205-.215	2.5234	11.608
-345	3.960- 3.990	.205-.215	.4554	2.095	-393	23.900-24.000	.205-.215	2.6324	12.109
-346	4.085- 4.115	.205-.215	.4690	2.157	-394	24.900-25.000	.205-.215	2.7414	12.610
-347	4.210- 4.240	.205-.215	.4826	2.220	-395	25.900-26.000	.205-.215	2.8504	13.112
-348	4.335- 4.365	.205-.215	.4962	2.282					
-349	4.460- 4.490	.205-.215	.5098	2.345	-425	4.460- 4.490	.269-.281	.0863	4.077
-350	4.585- 4.625	.205-.215	.5243	2.412	-426	4.585- 4.615	.269-.281	.0907	4.185
-351	4.710- 4.740	.205-.215	.5379	2.474	-427	4.710- 4.740	.269-.281	.0930	4.292

✓ FOR REFERENCE PURPOSES ONLY

USER ACTIVITIES

REVISOR ACTIVITIES  
AIR FORCE - 99  
DLA - 15

This activity is intended to approved for use by all Departments and Agencies of the Department of Defense. Instructions for all new engineering and design applications and for repetitive use shall be made from this document when appropriate.

U.S. NAVY - AS ARMY - AV AIR FORCE - II	INTERNATIONAL INTEREST	TITLE PACKING, PREFORMED, 'O' RING	MILITARY STANDARD
			MS 9021
PROCUREMENT SPECIFICATION	SUPERSEDED		PAGE 3 OF 5

APPROVED 15 MAR 56 REVISED (D) FOR CHANGES SEE PAGES 1,2,3,4 AND 5

TABLE I DIMENSIONS AND DIMENSIONS - CONTINUED

DRAW NO	ID	T	BASIC VOLUME CU. IN.	APPROX WEIGHT LBS./100	DRAW NO	ID	T	BASIC VOLUME CU. IN.	APPROX WEIGHT LBS./100
-428	4.835- 4.865	.269-.281	.9563	4.399	-452	11.845-11.905	.269-.281	2.1925	10.086
-429	4.860- 4.990	.269-.281	.9796	4.506	-453	11.945-12.005	.269-.281	2.2858	10.515
-430	5.077- 5.123	.269-.281	1.0030	4.614	-454	12.045-12.105	.269-.281	2.3791	10.944
-431	5.202- 5.248	.269-.281	1.0263	4.721	-455	12.145-12.205	.269-.281	2.4724	11.373
-432	5.327- 5.373	.269-.281	1.0496	4.828	-456	12.245-12.305	.269-.281	2.5657	11.802
-433	5.452- 5.498	.269-.281	1.0729	4.935	-457	12.345-12.405	.269-.281	2.6590	12.231
-434	5.577- 5.623	.269-.281	1.0962	5.042	-458	12.445-12.505	.269-.281	2.7523	12.660
-435	5.702- 5.748	.269-.281	1.1196	5.150	-459	12.545-12.605	.269-.281	2.8456	13.090
-436	5.827- 5.873	.269-.281	1.1429	5.257	-460	12.645-12.705	.269-.281	2.9389	13.520
-437	5.952- 5.998	.269-.281	1.1662	5.364	-461	12.745-12.805	.269-.281	3.0322	13.950
-438	6.027- 6.073	.269-.281	1.1896	5.471	-462	12.845-12.905	.269-.281	3.1255	14.380
-439	6.152- 6.198	.269-.281	1.2129	5.578	-463	12.945-13.005	.269-.281	3.2188	14.810
-440	6.227- 6.273	.269-.281	1.2362	5.685	-464	13.045-13.105	.269-.281	3.3121	15.240
-441	6.302- 6.348	.269-.281	1.2596	5.792	-465	13.145-13.205	.269-.281	3.4054	15.670
-442	6.377- 6.423	.269-.281	1.2829	5.899	-466	13.245-13.305	.269-.281	3.4987	16.100
-443	6.452- 6.498	.269-.281	1.3062	6.006	-467	13.345-13.405	.269-.281	3.5920	16.530
-444	6.527- 6.573	.269-.281	1.3296	6.113	-468	13.445-13.505	.269-.281	3.6853	16.960
-445	6.602- 6.648	.269-.281	1.3529	6.220	-469	13.545-13.605	.269-.281	3.7786	17.390
-446	6.677- 6.723	.269-.281	1.3762	6.327	-470	13.645-13.705	.269-.281	3.8719	17.820
-447	6.752- 6.798	.269-.281	1.3996	6.434	-471	13.745-13.805	.269-.281	3.9652	18.250
-448	6.827- 6.873	.269-.281	1.4229	6.541	-472	13.845-13.905	.269-.281	4.0585	18.680
-449	6.902- 6.948	.269-.281	1.4462	6.648	-473	13.945-14.005	.269-.281	4.1518	19.110
-450	6.977- 7.023	.269-.281	1.4696	6.755	-474	14.045-14.105	.269-.281	4.2451	19.540
-451	7.052- 7.098	.269-.281	1.4929	6.862	-475	14.145-14.205	.269-.281	4.3384	19.970
-452	7.127- 7.173	.269-.281	1.5162	6.969					
-453	7.202- 7.248	.269-.281	1.5396	7.076					
-454	7.277- 7.323	.269-.281	1.5629	7.183					
-455	7.352- 7.398	.269-.281	1.5862	7.290					
-456	7.427- 7.473	.269-.281	1.6096	7.397					
-457	7.502- 7.548	.269-.281	1.6329	7.504					
-458	7.577- 7.623	.269-.281	1.6562	7.611					
-459	7.652- 7.698	.269-.281	1.6796	7.718					
-460	7.727- 7.773	.269-.281	1.7029	7.825					
-461	7.802- 7.848	.269-.281	1.7262	7.932					
-462	7.877- 7.923	.269-.281	1.7496	8.039					
-463	7.952- 8.000	.269-.281	1.7729	8.146					
-464	8.027- 8.073	.269-.281	1.7962	8.253					
-465	8.102- 8.148	.269-.281	1.8196	8.360					
-466	8.177- 8.223	.269-.281	1.8429	8.467					
-467	8.252- 8.298	.269-.281	1.8662	8.574					
-468	8.327- 8.373	.269-.281	1.8896	8.681					
-469	8.402- 8.448	.269-.281	1.9129	8.788					
-470	8.477- 8.523	.269-.281	1.9362	8.895					
-471	8.552- 8.598	.269-.281	1.9596	9.002					
-472	8.627- 8.673	.269-.281	1.9829	9.109					
-473	8.702- 8.748	.269-.281	2.0062	9.216					
-474	8.777- 8.823	.269-.281	2.0296	9.323					
-475	8.852- 8.898	.269-.281	2.0529	9.430					

✓ FOR REFERENCE PURPOSES ONLY

USER ACTIVITIES

APPROVED ACTIVITIES  
AIR FORCE - 99  
DLA - 15

This activity is intended to be approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for re-evaluation and shall be made from this document under appropriate circumstances.

APPROVED 15 MAR 56 REVISED ① FOR CHANGES SEE PAGES 1, 2, 3, 4 AND 5

P. A. NAVY - AS Other Code ARMY - AV AIR FORCE - 11	INTERNATIONAL INTEREST	TITLE PACKING, PREFORMED, 'O' RING	MILITARY STANDARD
			MS 9021
PRECEDENCE SPECIFICATION	SUPPLEMENT		PAGE 4 OF 5


OTHER ACTIVITIES

REVISED ACTIVITIES  
AIR FORCE - 99  
DLA - IS

This military standard is approved for use by all Departments and Agencies of the Department of Defense  
Inquiries for all new engineering and design applications and for reprints are to be made from this  
document when appropriate

REQUIREMENTS:

1. MATERIAL NUMBER. NUMBER IN ACCORDANCE WITH AMS 7271-80.
2. DIMENSIONAL INSPECTION. DIMENSIONAL INSPECTION IN ACCORDANCE WITH AS 871-71.
3. IDENTIFICATION AND PACKAGING. IDENTIFICATION AND PACKAGING IN ACCORDANCE WITH AMS 2817-82.
4. PART NUMBER. THE PART NUMBER SHALL CONSIST OF THE BASIC MS NUMBER FOLLOWED BY A DASH NUMBER TAKEN FROM THE TABLE.



MS9021-001 INDICATES: PACKING NUMBER, 'O' RING, .033 ID, .043 ODDS SECTION DIA. (7).

NOTES:

1. ALL DIMENSIONS IN INCHES.
2. DO NOT USE UNASSIGNED PART NUMBERS.
3. PART SUBJECT TO AGE CONTROL IN ACCORDANCE WITH MIL-STD-1523.
4. IN THE EVENT OF A CONFLICT BETWEEN THE TEXT OF THIS STANDARD AND THE REFERENCES CITED HEREIN, THE TEXT OF THIS STANDARD SHALL TAKE PRECEDENCE.
5. REFERENCED GOVERNMENT (OR NONGOVERNMENT) DOCUMENTS OF THE ISSUE LISTED IN THAT ISSUE OF THE DEPARTMENT OF DEFENSE INDEX OF SPECIFICATIONS AND STANDARDS (DODIS) SPECIFIED IN THE SOLICITATION FORM A PART OF THIS STANDARD TO THE EXTENT SPECIFIED HEREIN.
6. THIS STANDARD WAS DEVELOPED COOPERATIVELY WITH THE SAC AIRSPACE PROTECTION DIVISION.
7. AS AND AMS ARE SAC PUBLICATIONS.

ORDINAL PROVISIONS (RING SIZE (DASH NUMBER), SIZES, AND TOLERANCES) OF THIS STANDARD ARE SUBJECT OF INTERNATIONAL STANDARDIZATION AGREEMENT ABC AIR STD 17/27 AND SPANISH 3444. WHEN REVISION OR CANCELLATION OF THIS STANDARD IS PROPOSED, THE DEPARTMENTAL CUSTODIANS WILL INFORM THEIR RESPECTIVE DEPARTMENTAL STANDARDIZATION OFFICE SO THAT APPROPRIATE ACTION MAY BE TAKEN RESPECTING THE INTERNATIONAL AGREEMENT CONCERNED.

APPROVED 15 MAR 56 REVISED ① FOR CHANGES SEE PAGES 1,2,3,4 AND 5

U.S. NAVY - AS Other Com ARMY - AV AIR FORCE - II	INTERNATIONAL INTEREST	TITLE  <b>PACKING, PREFORMED, 'O' RING</b>	<b>MILITARY STANDARD</b>
			<b>MS 9021</b>
PROCUREMENT SPECIFICATION	SUPERSEDES:	PAGE 5 OF 5	

